ITEP-TH-40/08
LAPTH-1270/08

Bethe Ansatz for the Universal Weight Function

Luc Frappat[◦1], **Sergey Khoroshkin**[⋆2], **Stanislav Pakuliak**[⋆•3], **Éric Ragoucy**[◦4]

[⋆]*Institute of Theoretical & Experimental Physics, 117259 Moscow, Russia*
[•]*Laboratory of Theoretical Physics, JINR, 141980 Dubna, Moscow reg., Russia*
[◦]*Laboratoire d'Annecy-le-Vieux de Physique Théorique LAPTH,*
UMR 5108 du CNRS associée à l'Université de Savoie
BP 110, F-74941, Annecy-le-Vieux cedex, France

arXiv:0810.3135v3 [math.QA] 13 Feb 2009

Abstract

We consider universal off-shell Bethe vectors given in terms of Drinfeld realization of the algebra $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$ [10, 12]. We investigate ordering properties of the product of the transfer matrix and these vectors. We derive that these vectors are eigenvectors of the transfer matrix if their Bethe parameters satisfy the universal Bethe equations [1].

1 Introduction

Algebraic Bethe ansatz for quantum integrable models with $\mathfrak{gl}_2$ symmetry as well as hierarchical Bethe ansatz for models with higher rank symmetries solves the eigenvalue problem for the set of the commuting quantum integrals of motion. The eigenvectors in these methods are built from the matrix elements of the monodromy matrix which satisfies Yang-Baxter relation defined by the quantum R-matrix. Quantum integrable models solvable by these methods correspond to the different monodromy matrices and quantum R-matrices. Monodromy matrices can be obtained by considering the different representations of the quadratic algebras which have the same type of defining relations as monodromy matrices have. In this case one can use the generating series of the elements of this quadratic algebra as kind of the *universal* monodromy matrix and try to reformulate the Bethe ansatz on the universal level without specification to any concrete representations or concrete integrable model.

Such an approach to find the eigenvalues for the quantum integrable models with different boundary conditions and symmetries was elaborated in [1] using certain analytical assumptions on the structure of these eigenvalues. This method is called analytical Bethe ansatz and by construction was unable to yield an information on the structure of the corresponding eigenvectors. In case of the models with $\mathfrak{gl}_N$ symmetry the method to build the eigenvectors from the matrix elements of the monodromy matrices was designed in [16, 17, 18, 19] generalizing an approach of the hierarchical Bethe ansatz formulated in [14]. Authors of these papers used the universal monodromy which satisfies the commutation relations of the $\mathfrak{gl}_N$ Yangian or Borel subalgebra in the quantum affine algebra $U_q(\widehat{\mathfrak{gl}}_N)$ to construct the

[1]E-mail: frappat@lapp.in2p3.fr
[2]E-mail: khor@itep.ru
[3]E-mail: pakuliak@theor.jinr.ru
[4]E-mail: ragoucy@lapp.in2p3.fr

universal Bethe vectors of the hierarchical Bethe ansatz in terms of the matrix elements of the corresponding fundamental L-operators.

Quantum affine algebra and their rational analogs – the Yangian doubles have an alternative to the L-operator description [15] in term of currents [3, 4]. For the quantum affine algebras, it was proved in [11] that the modes of Drinfeld currents coincide with Cartan-Weyl generators of these algebras constructed from the finite set of Chevalley generators. One may address the question whether it is possible to construct the universal Bethe vectors from the current generators of the quantum affine algebra which serves as symmetry for some quantum integrable models. This problem was investigated in [7] on a rather general level and it was shown that in order to build the universal Bethe vectors from Cartan-Weyl or current generators of the algebra one has to consider different types of Borel subalgebras in the quantum affine algebras. In this paper it was suggested to construct universal off-shell Bethe vectors for arbitrary quantum affine algebra as certain projections of products of the currents onto intersections of Borel subalgebras of different types. The generating parameters of the currents become after this identification the Bethe parameters. The papers [12, 13] contain detailed analysis of these projections for quantum affine algebra $U_q(\widehat{\mathfrak{gl}}_N)$. In particular, these projections are explicitly expressed via entries of the fundamental monodromy matrix and are identified with off-shell Bethe vectors of the nested Bethe ansatz [14].

An algebraic Bethe ansatz always uses a special vector which is annihilated by some ideal in the symmetry algebra (bare vacuum) and Bethe vectors are obtained by the application of the universal Bethe vectors to this vector. From the representation theory point of view we will call such bare vacuum a weight singular vector. The Cartan-Weyl generators have a good property: their products can be ordered in a natural way. If we are able to express the commuting integrals as well as the universal Bethe vectors in terms of these generators, we may rise the question: what is special in the universal Bethe vectors if their Bethe parameters satisfy the universal Bethe equations. In this paper we address this question for the quantum affine algebra $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$. We found that the Cartan-Weyl ordering of the product of the universal transfer matrix and the universal Bethe vector produces the same Bethe vectors modulo elements of the ideal which annihilates the bare vacuum if the Bethe parameters satisfy the universal Bethe equations from [1].

All our calculations are performed on the level of generating series and the main technical trick which helps us to perform the ordering calculations is the identity (3.30) which is a particular case of more general relations between off-shell Bethe vectors obtained in the paper [20] using the technique of the generating series.

The paper is composed as follows. In Section 2, all necessary statements for the different realizations of the quantum affine algebra $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$ are given and the main assertion of the paper is formulated as the Theorem 1. Section 3 collects propositions which describe the ordering of the generating series of the Cartan-Weyl or current generators. There, an identity (3.30) is formulated: it is a new type of hierarchical relation between universal off-shell Bethe vectors expressed in terms of the current generators. Section 4 is devoted to the inductive proof of the main Theorem 1.

2 Basic algebraic structures

2.1 $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$ as a quantum double

Let q be a complex parameter not equal to zero or to a root of unity. Let $\mathsf{E}_{ij} \in \mathrm{End}(\mathbb{C}^N)$ be a matrix with the only nonzero entry equal to 1 at the intersection of the i-th row and j-th column. Let $\mathrm{R}(u,v) \in \mathrm{End}(\mathbb{C}^N \otimes \mathbb{C}^N) \otimes \mathbb{C}[[v/u]]$,

$$\begin{aligned} \mathrm{R}(u,v) \;=\; & \sum_{1\le i\le N} \mathsf{E}_{ii}\otimes\mathsf{E}_{ii} \;+\; \frac{u-v}{qu-q^{-1}v} \sum_{1\le i<j\le N} (\mathsf{E}_{ii}\otimes\mathsf{E}_{jj} + \mathsf{E}_{jj}\otimes\mathsf{E}_{ii}) \\ & + \frac{q-q^{-1}}{qu-q^{-1}v} \sum_{1\le i<j\le N} (u\mathsf{E}_{ij}\otimes\mathsf{E}_{ji} + v\mathsf{E}_{ji}\otimes\mathsf{E}_{ij}) \end{aligned} \tag{2.1}$$

be a trigonometric R-matrix associated with the vector representation of $\mathfrak{gl}_N$.

We will consider an associative algebra $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$ with unit as a quantum double [2] of its Borel subalgbera generated by the modes $\mathrm{L}^+_{i,j}[k]$, $k \ge 0$, $1 \le i,j \le N$ of the L-operators $\mathrm{L}^+(z) = \sum_{k=0}^{\infty}\sum_{i,j=1}^{N} \mathsf{E}_{ij}\otimes \mathrm{L}^+_{i,j}[k] z^{-k}$, $\mathrm{L}^+_{j,i}[0] = 0$, $1 \le i < j \le N$ subject to the relations

$$\mathrm{R}(u,v)\cdot(\mathrm{L}^+(u)\otimes\mathbf{1})\cdot(\mathbf{1}\otimes\mathrm{L}^+(v)) = (\mathbf{1}\otimes\mathrm{L}^+(v))\cdot(\mathrm{L}^+(u)\otimes\mathbf{1})\cdot\mathrm{R}(u,v) \tag{2.2}$$

with a standard coproduct

$$\Delta\left(\mathrm{L}^+_{i,j}(u)\right) = \sum_{k=1}^{N} \mathrm{L}^+_{k,j}(u)\otimes\mathrm{L}^+_{i,k}(u)\,. \tag{2.3}$$

We denote this subalgebra $U_q(\mathfrak{b}^+) \subset \overline{U}_q(\widehat{\mathfrak{gl}}_N)$ and call it *a standard Borel subalgebra* of $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$. In (2.2) $\mathbf{1} = \sum_{i=1}^{N} \mathsf{E}_{ii}$.

According to the general theory [2] the whole algebra $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$ is generated by the modes of the L-operator $\mathrm{L}^+(z)$ and by the modes of the dual L-operator $\mathrm{L}^-(z) = \sum_{k=0}^{-\infty}\sum_{i,j=1}^{N} \mathsf{E}_{ij}\otimes \mathrm{L}^-_{i,j}[k] z^{-k}$, $\mathrm{L}^-_{i,j}[0] = 0$, $1 \le i < j \le N$. The dual Borel subalgebra $U_q(\mathfrak{b}^-)$ has the same algebraic and coalgebraic properties (2.2) and (2.3) with $\mathrm{L}^+(z)$ replaced by $\mathrm{L}^-(z)$ everywhere. The commutation relation between opposite Borel subalgebras

$$\mathrm{R}(u,v)\cdot(\mathrm{L}^+(u)\otimes\mathbf{1})\cdot(\mathbf{1}\otimes\mathrm{L}^-(v)) = (\mathbf{1}\otimes\mathrm{L}^-(v))\cdot(\mathrm{L}^+(u)\otimes\mathbf{1})\cdot\mathrm{R}(u,v), \tag{2.4}$$

can be calculated using the non-degenerated pairing between these subalgebras.

The standard description of the quantum affine algebra $U_q(\widehat{\mathfrak{gl}}_N)$ with dropped gradation element and at vanishing central element can be obtained from the algebra $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$ by imposing one more relation

$$\mathrm{L}^+_{i,i}[0]\mathrm{L}^-_{i,i}[0] = 1 \qquad i = 1,\dots,N\,. \tag{2.5}$$

Here we shall not assume this restriction. We shall require only invertibility of the zero modes of the diagonal matrix elements of L-operators.

2.2 Current realization of $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$

To obtain the current realization of the algebra $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$ [3] one has to introduce, according to [4], the Gauss coordinates of the L-operators. There are two different ways of introducing Gauss decompositions of L-operators. Each of these two possibilities leads to hierarchical relations for the universal Bethe vectors given by the hierarchical Bethe ansatz. One type of hierarchy occurs when the smaller algebra L-operator is embedded in the upper-left corner of the bigger algebra L-operator. The second type corresponds to the embedding in the down-right corner [19, 13]. In this paper we will use the latter embedding. Then, Gauss coordinates $\mathrm{F}^{\pm}_{b,a}(t)$, $\mathrm{E}^{\pm}_{a,b}(t)$, $b > a$ and $k^{\pm}_c(t)$ are given by the decomposition:

$$\mathrm{L}^{\pm}(z) = \left(\mathbf{1} + \sum_{a<b}^{N} \mathrm{F}^{\pm}_{b,a}(z)\mathsf{E}_{ab}\right) \cdot \left(\sum_{a=1}^{N} k^{\pm}_a(z)\mathsf{E}_{aa}\right) \cdot \left(\mathbf{1} + \sum_{a<b}^{N} \mathrm{E}^{\pm}_{a,b}(z)\mathsf{E}_{ba}\right) \tag{2.6}$$

that is to say

$$\mathrm{L}^{\pm}_{a,b}(t) = \mathrm{F}^{\pm}_{b,a}(t)k^{+}_b(t) + \sum_{b<m\leq N} \mathrm{F}^{\pm}_{m,a}(t)k^{+}_m(t)\mathrm{E}^{\pm}_{b,m}(t), \qquad a < b, \tag{2.7}$$

$$\mathrm{L}^{\pm}_{b,b}(t) = k^{\pm}_b(t) + \sum_{b<m\leq N} \mathrm{F}^{\pm}_{m,b}(t)k^{\pm}_m(t)\mathrm{E}^{\pm}_{b,m}(t), \tag{2.8}$$

$$\mathrm{L}^{\pm}_{a,b}(t) = k^{\pm}_a(t)\mathrm{E}^{\pm}_{b,a}(t) + \sum_{a<m\leq N} \mathrm{F}^{\pm}_{m,a}(t)k^{\pm}_m(t)\mathrm{E}^{\pm}_{b,m}(t), \qquad a > b\,. \tag{2.9}$$

Considering the linear combinations of the Gauss coordinates

$$F_i(t) = \mathrm{F}^{+}_{i+1,i}(t) - \mathrm{F}^{-}_{i+1,i}(t)\,, \quad E_i(t) = \mathrm{E}^{+}_{i,i+1}(t) - \mathrm{E}^{-}_{i,i+1}(t) \tag{2.10}$$

and diagonal Gauss coordinates $k^{\pm}_i(t)$ one can obtain the defining relations [3, 4]:

$$\begin{gathered}
(q^{-1}z - qw)E_i(z)E_i(w) = E_i(w)E_i(z)(qz - q^{-1}w)\,,\\
(z-w)E_i(z)E_{i+1}(w) = E_{i+1}(w)E_i(z)(q^{-1}z - qw)\,,\\
k^{\pm}_i(z)E_i(w)\left(k^{\pm}_i(z)\right)^{-1} = \frac{z-w}{q^{-1}z-qw}E_i(w)\,,\\
k^{\pm}_{i+1}(z)E_i(w)\left(k^{\pm}_{i+1}(z)\right)^{-1} = \frac{z-w}{qz-q^{-1}w}E_i(w)\,,\\
k^{\pm}_i(z)E_j(w)\left(k^{\pm}_i(z)\right)^{-1} = E_j(w), \qquad \text{if} \quad i \neq j, j+1\,,\\
(qz - q^{-1}w)F_i(z)F_i(w) = F_i(w)F_i(z)(q^{-1}z - qw)\,,\\
(q^{-1}z - qw)F_i(z)F_{i+1}(w) = F_{i+1}(w)F_i(z)(z-w)\,,\\
k^{\pm}_i(z)F_i(w)\left(k^{\pm}_i(z)\right)^{-1} = \frac{q^{-1}z-qw}{z-w}F_i(w)\,,\\
k^{\pm}_{i+1}(z)F_i(w)\left(k^{\pm}_{i+1}(z)\right)^{-1} = \frac{qz-q^{-1}w}{z-w}F_i(w)\,,\\
k^{\pm}_i(z)F_j(w)\left(k^{\pm}_i(z)\right)^{-1} = F_j(w), \qquad \text{if} \quad i \neq j, j+1\,,\\
[E_i(z), F_j(w)] = \delta_{i,j}\ \delta(z/w)\ (q-q^{-1})\left(k^{+}_i(z)/k^{+}_{i+1}(z) - k^{-}_i(w)/k^{-}_{i+1}(w)\right)
\end{gathered} \tag{2.11}$$

and the Serre relations for the currents $E_i(z)$ and $F_i(z)$

$$\begin{aligned}
\mathrm{Sym}_{z_1,z_2}\Big(E_i(z_1)E_i(z_2)E_{i\pm1}(w) - (q+q^{-1})E_i(z_1)E_{i\pm1}(w)E_i(z_2)+ \\
+ E_{i\pm1}(w)E_i(z_1)E_i(z_2)\Big) = 0\,, \\
\mathrm{Sym}_{z_1,z_2}\Big(F_i(z_1)F_i(z_2)F_{i\pm1}(w) - (q+q^{-1})F_i(z_1)F_{i\pm1}(w)F_i(z_2)+ \\
+ F_{i\pm1}(w)F_i(z_1)F_i(z_2)\Big) = 0\,.
\end{aligned} \tag{2.12}$$

The generating series $F_i(z)$, $E_i(z)$ and $k_j^{\pm}(z)$ are called *total and Cartan currents* respectively. Formulae (2.11) and (2.12) should be considered as formal series identities describing an infinite set of relations between modes of the currents. The symbol $\delta(z)$ entering these relations is the formal series $\sum_{n\in\mathbb{Z}} z^n$.

The algebra $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$ in its current realization can be also obtained in the framework of the quantum double construction choosing another type of the Borel subalgebra. It can be constructed as the quantum double from the subalgebra U_F generated by the modes of the currents $F_i[n]$, $k_j^+[m]$, $i=1,\dots,N-1$, $j=1,\dots,N$, $n\in\mathbb{Z}$ and $m\geq 0$. One may easily see from the commutation relations (2.11) that this is an subalgebra in $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$, but for the quantum double construction one has to choose for this subalgebra a coalgebraic structure different from (2.3) [3]:

$$\begin{aligned}
\Delta^{(D)}\left(F_i(z)\right) &= 1\otimes F_i(z) + F_i(z)\otimes k_i^+(z)\left(k_{i+1}^+(z)\right)^{-1}, \\
\Delta^{(D)}\left(k_i^+(z)\right) &= k_i^+(z)\otimes k_i^+(z)\,.
\end{aligned} \tag{2.13}$$

We call U_F *a current Borel subalgebra* of $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$.

The dual current Borel subalgebra $U_E\subset U_q(\widehat{\mathfrak{gl}}_N)$ is generated by modes of the currents $E_i[n]$, $k_j^-[-m]$, $i=1,\dots,N-1$, $j=1,\dots,N$, $n\in\mathbb{Z}$ and $m\geq 0$ with coalgebraic structure

$$\begin{aligned}
\Delta^{(D)}\left(E_i(z)\right) &= E_i(z)\otimes 1 + k_i^-(z)\left(k_{i+1}^-(z)\right)^{-1}\otimes E_i(z), \\
\Delta^{(D)}\left(k_i^-(z)\right) &= k_i^-(z)\otimes k_i^-(z).
\end{aligned}$$

In the L-operator formulation of $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$ we do not use the restriction (2.5). In the current realization of the same algebra we shall not assume the relations

$$k_i^+[0]k_i^-[0] = 1\,, \qquad i=1,\dots,N\,. \tag{2.14}$$

The latter relations are standard in the realization of the quantum affine algebra $U_q(\widehat{\mathfrak{gl}}_N)$ through a quantum double construction [3]. This realization of the quantum affine algebra $U_q(\widehat{\mathfrak{gl}}_N)$ can be obtained from $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$ by imposing the relation (2.14).

2.3 Cartan-Weyl generators of $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$

The current realization of $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$ uses currents corresponding to the simple roots of $\mathfrak{gl}_N$ only. The modes of these currents can be identified with a part of the Cartan-Weyl generators of this quantum affine algebra. Instead of the rest Cartan-Weyl generators we will use the

generating series introduced for the first time in [5] where they were called *the composed currents*.

Denote by $\overline{U}_F$ an extension of the current Borel subalgebra U_F formed by the linear combinations of series, given as infinite sums of monomials $a_{i_1}[n_1]\cdots a_{i_k}[n_k]$ with $n_1 \le \cdots \le n_k$, and $n_1 + ... + n_k$ fixed, where $a_{i_l}[n_l]$ is either $F_{i_l}[n_l]$ or $k^+_{i_l}[n_l]$. Analogously, denote by $\overline{U}_E$ an extension of the dual current Borel subalgebra U_E formed by the linear combinations of series, given as infinite sums of monomials $b_{i_1}[n_1]\cdots b_{i_k}[n_k]$ with $n_1 \le \cdots \le n_k$, and $n_1 + ... + n_k$ fixed, where $b_{i_l}[n_l]$ is either $E_{i_l}[n_l]$ or $k^-_{i_l}[n_l]$.

First we define the composed currents $F_{j,i}(t)$, $i < j$ as the series with coefficients in $\overline{U}_F$. The definition of the composed currents may be written in the analytical form

$$F_{j,i}(t) \;=\; -\operatorname*{res}_{w=t} F_{j,a}(t)F_{a,i}(w)\,\frac{dw}{w} \;=\; \operatorname*{res}_{w=t} F_{j,a}(w)F_{a,i}(t)\,\frac{dw}{w} \tag{2.15}$$

for any $a = i+1, \dots, j-1$. It is equivalent to the relation

$$\begin{aligned} F_{j,i}(t) &= \oint F_{j,a}(t)F_{a,i}(w)\;\frac{dw}{w} - \oint \frac{q^{-1}-qt/w}{1-t/w}\;F_{a,i}(w)F_{j,a}(t)\;\frac{dw}{w}\,, \\ F_{j,i}(t) &= \oint F_{j,a}(w)F_{a,i}(t)\;\frac{dw}{w} - \oint \frac{q^{-1}-qw/t}{1-w/t}\;F_{a,i}(t)F_{j,a}(w)\;\frac{dw}{w}\,. \end{aligned} \tag{2.16}$$

In (2.16) we set $\oint \frac{dw}{w} g(w) = g_0$ for any formal series $g(w) = \sum_{n\in\mathbb{Z}} g_n z^{-n}$.

Using the relations (2.11) on $F_i(t)$ we can calculate the residues in (2.15) and obtain the following expressions for $F_{j,i}(t)$, $i < j$:

$$F_{j,i}(t) = (q-q^{-1})^{j-i-1} F_i(t)F_{i+1}(t)\cdots F_{j-1}(t)\,. \tag{2.17}$$

For example, $F_{i+1,i}(t) = F_i(t)$, and $F_{i+2,i}(t) = (q-q^{-1})F_i(t)F_{i+1}(t)$. Formulas (2.17) prove the consistency of the defining relations for the composed currents (2.15) or (2.16), since they yield to the same answers for all possible values $i < a < j$.

Calculating formal integrals in (2.16) we obtain the following presentation for the composed currents:

$$F_{j,i}(t) = F_{j,a}(t)F_{a,i}[0] - q^{-1}F_{a,i}[0]F_{j,a}(t) + (q-q^{-1})\sum_{k<0} F_{a,i}[k]\,F_{j,a}(t)\,t^{-k}\,, \tag{2.18}$$

$$F_{j,i}(t) = F_{j,a}[0]F_{a,i}(t) - qF_{a,i}(t)F_{j,a}[0] + (q-q^{-1})\sum_{k\ge 0} F_{a,i}(t)\,F_{j,a}[k]\,t^{-k}\,. \tag{2.19}$$

Composed currents $E_{i,j}(t)$ are defined analogously as the series with coefficients which belong to the completed current Borel subalgebra $\overline{U}_E$.

The fact that current generators for the quantum affine algebras form the part of the Cartan-Weyl basis in these algebras was proved in [11]. There exists a natural ordering in the Cartan-Weyl basis. If the generator e_γ corresponds to a positive root $\gamma = \alpha + \beta$, where α and β are the roots, then these generators are ordered either in a way $e_\alpha \prec e_\gamma \prec e_\beta$ or in the way $e_\beta \prec e_\gamma \prec e_\alpha$. An important property of the Cartan-Weyl basis of a Borel subalgebra is that the q-commutator of any two generators from this subalgebra, say e_α and e_β, is a linear combination of monomials which contain only the products of generator e_{γ_i} which are 'between' e_α and e_β: $e_\alpha \prec e_{\gamma_i} \prec e_\beta$ or $e_\alpha \succ e_{\gamma_i} \succ e_\beta$. An important application of this property is that using it one can order arbitrary monomials of the generators.

The ordering on the Borel subalgebra can be extended to the ordering of the whole set of Cartan-Weyl generators corresponding to the positive and negative roots such that the same ordering property is valid. This ordering is called 'circular' or 'convex' and it allows to order arbitrary monomials in the whole algebra [7]. For the goals of our paper we will need the following specialization of this circular ordering of the current generators in the algebra $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$.

Define the intersections of the different type Borel subalgebras in $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$:

$$U_E^- = U_E \cap U_q(\mathfrak{b}^-)\,, \quad U_f^- = U_q(\mathfrak{b}^-) \cap U_F\,, \quad U_F^+ = U_F \cap U_q(\mathfrak{b}^+)\,, \quad U_e^+ = U_q(\mathfrak{b}^+) \cap U_E\,. \tag{2.20}$$

Let U_f and U_e be subalgebras of $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$ formed by the modes of the currents $F_i(z)$ and $E_i(z)$ respectively. Subalgebras U_E^- and U_F^+ can be also decomposed into subalgebras U_e^-, U_k^- and U_f^+, U_k^+, where

$$U_e^- = U_e \cap U_E^-\,, \quad U_f^+ = U_f \cap U_F^+ \tag{2.21}$$

and $U_k^\pm$ are defined by the isomorphisms

$$U_f^+ \otimes U_k^+ \to U_F^+ = U_f^+ \cdot U_k^+\,, \quad U_e^- \otimes U_k^- \to U_E^- = U_e^- \cdot U_k^-\,.$$

Different relations between these subalgebras are represented schematically in Figure 1.



Figure 1: Subalgebras of $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$. Vertical dotted line separates standard Borel subalgebras. Horizontal dotted line separates current Borel subalgebras. Horizontal solid axis shows increasing of the modes of the current generators. Ovals signify different subalgebras in the standard and current Borel subalgebras of $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$.

We fix a 'circular' ordering '$\prec$' on the generators of $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$ (see [7]), such that:

$$\cdots \prec U_k^- \prec U_f^- \prec U_f^+ \prec U_k^+ \prec U_e^+ \prec U_e^- \prec U_k^- \prec \cdots\,. \tag{2.22}$$

Definition 2.1. *We will call an element* $W \in \overline{U}_q(\widehat{\mathfrak{gl}}_N)$ normal ordered *and denote it as* $:W:$ *if it is presented as the linear combinations of the products the elements* $W_1 \cdot W_2 \cdot W_3 \cdot W_4 \cdot W_5 \cdot W_6$ *such that*

$$W_1 \in U_f^-\,, \quad W_2 \in U_f^+\,, \quad W_3 \in U_k^+\,, \quad W_4 \in U_e^+\,, \quad W_5 \in U_e^-\,, \quad W_6 \in U_k^-\,. \tag{2.23}$$

We may consider standard Borel subalgebras as ordered with respect to the circular ordering (2.22):

$$U_q(\mathfrak{b}^-) = U_e^- \cdot U_k^- \cdot U_f^- \,, \quad U_q(\mathfrak{b}^+) = U_f^+ \cdot U_k^+ \cdot U_e^+ \,.$$

Analogous statement is valid for the current Borel subalgebras:

$$U_F = U_f^- \cdot U_f^+ \cdot U_k^+ \,, \quad U_E = U_e^+ \cdot U_e^- \cdot U_k^- \,.$$

2.4 Projections and universal off-shell Bethe vectors

It was proved in [10] that the subalgebras U_f^- and U_F^+ are coideals with respect to the Drinfeld coproduct (2.13)

$$\Delta^{(D)}(U_F^+) \subset \overline{U}_q(\widehat{\mathfrak{gl}}_N) \otimes U_F^+ \,, \qquad \Delta^{(D)}(U_f^-) \subset U_f^- \otimes \overline{U}_q(\widehat{\mathfrak{gl}}_N) \,,$$

and that the multiplication m in $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$ induces an isomorphism of vector spaces

$$m : U_f^- \otimes U_F^+ \to U_F \,.$$

According to the general theory presented in [7] we define projection operators $P_f^+ : U_F \subset \overline{U}_q(\widehat{\mathfrak{gl}}_N) \to U_F^+$ and $P_f^- : U_F \subset \overline{U}_q(\widehat{\mathfrak{gl}}_N) \to U_f^-$ by the prescriptions

$$\begin{gathered} P_f^+(f_-\ f_+) = \varepsilon(f_-)\ f_+, \qquad P_f^-(f_-\ f_+) = f_-\ \varepsilon(f_+), \\ \text{for any} \qquad f_- \in U_f^- \,, \quad f_+ \in U_F^+ . \end{gathered} \tag{2.24}$$

It was also proved in [7] that

(1) projections (2.24) can be extended to the algebra $\overline{U}_F$;

(2) for any $f \in \overline{U}_F$ with $\Delta^{(D)}(f) = \sum_i f_i' \otimes f_i''$ we have

$$f = \sum_i P_f^-(f_i'') \cdot P_f^+(f_i') \,. \tag{2.25}$$

Analogously, we may define projections of the dual current Borel subalgebras U_E: $P_e^- : U_E \to U_E^-$ and $P_e^+ : U_E \to U_e^+$.

Let $\bar{n} = \{n_1, n_2, \dots, n_{N-2}, n_{N-1}\}$ be a set of non-negative integers. Denote by $\bar{t}_{[\bar{n}]}$ the set of formal variables:

$$\bar{t}_{[\bar{n}]} = \left\{ t_1^1, \dots, t_{n_1}^1; t_1^2, \dots, t_{n_2}^2; \ \dots\dots \ ; t_1^{N-2}, \dots, t_{n_{N-2}}^{N-2}; t_1^{N-1}, \dots, t_{n_{N-1}}^{N-1} \right\} . \tag{2.26}$$

The variable t_k^a is of type a. If $n_a = 0$ for some a, then the variables of type a are absent in the set (2.26). Denote by $\mathcal{W}_N(\bar{t}_{[\bar{n}]})$ the universal weight function associated with the set of variables (2.26):[1]

$$\mathcal{W}_N(\bar{t}_{[\bar{n}]}) = P_f^+ \left(F_{N-1}(t_{n_{N-1}}^{N-1}) \cdots F_{N-1}(t_1^{N-1}) \quad \cdots \quad F_1(t_{n_1}^1) \cdots F_1(t_1^1) \right) . \tag{2.27}$$

[1] In contrast to the paper [20], here we will not normalize the universal weight function by the product of factorials.

The universal weight function (2.27) is a formal series over the ratios t^b_k/t^c_l with $b < c$ and t^a_i/t^a_j with $i < j$ taking values in the completion $\overline{U}_F$.

It was proved in [7, 10] that this projection satisfies the comultiplication properties of the off-shell Bethe vectors of the hierarchical Bethe ansatz [14]. In [9], a method of calculation of the projection (2.27) based on the ordering property (2.25) was proposed. Then in [12, 13], this method was applied to the quantum affine algebra $U_q(\widehat{\mathfrak{gl}}_N)$. It was proved there that the calculation of the projection (2.27) produces the same hierarchical relations for the universal off-shell Bethe vectors as were found in [19] using combinatorial methods in the framework of the standard hierarchical Bethe ansatz.

We call a vector v *a weight singular vector* if it is annihilated by any positive mode $E_i[n]$, $i = 1, \dots, N-1$, $n > 0$ and is an eigenvector for $k^+_i(t)$, $i = 1, \dots, N$

$$\mathrm{E}^+_{i,i+1}(t) \cdot v = 0 \,, \qquad k^+_i(t) \cdot v = \lambda_i(t)\, v \,, \tag{2.28}$$

where $\lambda_i(t)$ is a meromorphic function, decomposed as a power series in t^{-1}. The L-operator (2.6), acting on a weight singular vector v, becomes upper-triangular

$$\mathrm{L}^+_{ij}(t)\ v = 0 \,, \quad i > j \,, \quad \mathrm{L}^+_{ii}(t)\ v = \lambda_i(t)\ v \,, \quad i = 1, \dots, N \,. \tag{2.29}$$

Definition 2.2. *We note J the left ideal of $U_q(\mathfrak{b}^+)$, generated by all elements of the form $U_q(\mathfrak{b}^+) \cdot E_i[n]$, $i = 1, \dots, N-1$, $n > 0$ (equivalently, by all modes of $U_q(\mathfrak{b}^+) \cdot \mathrm{E}^+_{i,j}(t)$, $1 \le i < j \le N$).*
Equalities in $U_q(\mathfrak{b}^+)$ modulo element from the ideal J we denote by the symbol '$\sim_J$'.

It is clear that $W \cdot v = 0$ for any element $W \in J$ and arbitrary weight singular vector v.

We call *a (universal) transfer matrix* the trace of L-operator

$$\mathcal{T}_N(t) = \sum_{i=1}^{N} \mathrm{L}^+_{i,i}(t) = \sum_{i=1}^{N} \left(k^+_i(t) + \sum_{j=i+1}^{N} \mathrm{F}^+_{j,i}(t)\, k^+_j(t)\, \mathrm{E}^+_{i,j}(t) \right). \tag{2.30}$$

The Gauss coordinates $\mathrm{F}^+_{j,i}(t)$, $\mathrm{E}^+_{i,j}(t)$ coincide with the projections of the corresponding composed currents and can be expressed through modes of the currents from subalgebras U^+_f and U^+_e (see section 3.1). Note that the presentation (2.30) of the transfer matrix $\mathcal{T}_N(t)$ is normal ordered according to the circular ordering (2.22) and $\mathcal{T}_N(t) \ \sim_J \ \sum_{i=1}^N k^+_i(t)$.

The main statement of this paper is

Theorem 1. *A formal series identity is valid in $U_q(\mathfrak{b}^+)$*

$$\mathcal{T}_N(t) \cdot \mathcal{W}_N(\bar{t}_{[\bar{n}]}) \ \ - \mathcal{W}_N(\bar{t}_{[\bar{n}]}) \cdot \tau_N(t; \bar{t}_{[\bar{n}]}) \ \sim_J \ 0 \tag{2.31}$$

if the set $\{t^i_j\}$ of the Bethe parameters satisfies the set of the universal Bethe equations, $i = 1, \dots, N-1$, $j = 1, \dots, n_i$:

$$\frac{k^+_i(t^i_j)}{k^+_{i+1}(t^i_j)} = \prod_{m \neq j}^{n_i} \frac{q - q^{-1} t^i_m/t^i_j}{q^{-1} - q t^i_m/t^i_j} \prod_{m=1}^{n_{i-1}} \frac{1 - t^{i-1}_m/t^i_j}{q - q^{-1} t^{i-1}_m/t^i_j} \prod_{m=1}^{n_{i+1}} \frac{q^{-1} - q t^{i+1}_m/t^i_j}{1 - t^{i+1}_m/t^i_j} \,. \tag{2.32}$$

We have introduced

$$\tau_N(t; \bar{t}_{[\bar{n}]}) = \sum_{i=1}^{N} k^+_i(t) \prod_{j=1}^{n_{i-1}} \frac{q - q^{-1} t^{i-1}_j/t}{1 - t^{i-1}_j/t} \prod_{j=1}^{n_i} \frac{q^{-1} - q t^i_j/t}{1 - t^i_j/t} \tag{2.33}$$

an eigenvalue of the universal transfer matrix.

Note that the universal transfer-matrix (2.30) is a power series on $1/t$. This is a reason for presentation of the universal eigenvalue in the form (2.33). By similar reasons the right hand side of the universal Bethe equations (2.32) is a series depending on the ratios t_m^a/t_j^i.

Proofing the statement of Theorem 1 we will try to present the product $\mathcal{T}_N(t)\cdot\mathcal{W}_N(\bar{t}_{[\bar{n}]})$ in the normal ordered form according to the ordering given in Definition 2.1. After performing this ordering we will observe that subtraction of the ordered product $\mathcal{W}_N(\bar{t}_{[\bar{n}]})\cdot\tau_N(t;\bar{t}_{[\bar{n}]})$ results only in the terms which belong to the ideal J.

For any weight singular vector v, let $w_V^N(\bar{t}_{[\bar{n}]})=\mathcal{W}_N(\bar{t}_{[\bar{n}]})\,v$ be the weight function taking value in the $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$-module V generated by v and

$$\mathbf{w}_V^N(\bar{t}_{[\bar{n}]})=\beta(\bar{t}_{[\bar{n}]})\prod_{a=2}^{N}\prod_{\ell=1}^{n_{a-1}}\lambda_a(t_\ell^{a-1})\;w_V^N(\bar{t}_{[\bar{n}]}) \tag{2.34}$$

be the corresponding modified weight function [10]. Here

$$\beta(\bar{t}_{[\bar{n}]})=\prod_{a=1}^{N-1}\prod_{1\le\ell<\ell'\le n_a}\frac{q-q^{-1}t_\ell^a/t_{\ell'}^a}{1-t_\ell^a/t_{\ell'}^a}\;.$$

According to [10, 12, 19] we call the modified weight function (2.34) *universal off-shell Bethe vector*. The Theorem 1 has obvious

Corollary 2.3. *Universal off-shell Bethe vector is an eigenvector of the universal transfer matrix*

$$\mathcal{T}_N(t)\cdot\mathbf{w}_V^N(\bar{t}_{[\bar{n}]})=\mathbf{w}_V^N(\bar{t}_{[\bar{n}]})\cdot\left(\sum_{i=1}^{n}\lambda_i(t)\prod_{j=1}^{n_{i-1}}\frac{qt-q^{-1}t_j^{i-1}}{t-t_j^{i-1}}\prod_{j=1}^{n_i}\frac{q^{-1}t-qt_j^i}{t-t_j^i}\right)$$

if Bethe equations of $U_q(\widehat{\mathfrak{gl}}_N)$ hierarchical Bethe ansatz are satisfied:

$$\frac{\lambda_i(t_j^i)}{\lambda_{i+1}(t_j^i)}=\prod_{m\neq j}^{n_i}\frac{qt_j^i-q^{-1}t_m^i}{q^{-1}t_j^i-qt_m^i}\prod_{m=1}^{n_{i-1}}\frac{t_j^i-t_m^{i-1}}{qt_j^i-q^{-1}t_m^{i-1}}\prod_{m=1}^{n_{i+1}}\frac{q^{-1}t_j^i-qt_m^{i+1}}{t_j^i-t_m^{i+1}}\,.$$

3 Proofs

We will prove the Theorem 1 by induction over N. First, we check that the statement of the Theorem is valid in the simplest case $N=2$. Then, assuming the correctness of the statement for the algebra $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$ we will prove it for the algebra $\overline{U}_q(\widehat{\mathfrak{gl}}_{N+1})$. The L-operator of the smaller algebra $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$ will be embedded into right down corner of the L-operator for the bigger algebra $\overline{U}_q(\widehat{\mathfrak{gl}}_{N+1})$. This embedding is in accordance with the Gauss decomposition (2.6). The main technical tool will be a special presentation of the universal weight function based on the main property of the projections (2.24). This allows to reduce the calculation of the ordering to the commutations of the Gauss coordinates and total currents, which is much simpler than the exchange relations of these coordinates with the projection (2.27).

3.1 Relation between Gauss coordinates and the currents

In order to perform the proof of the main Theorem we need to establish a precise relation between *all* Gauss coordinates and the currents. This was done partially in [10] and here we repeat this calculations for the sake of completeness. Note that the paper [4] yields these relations only for currents corresponding to simple roots.

Set $S_A(B) = BA - q^{-1}AB$. Projections of composed currents can be defined using q-commutators with zero modes of the currents $F_i(t)$, $i = 1, \dots, N-1$. We will call the operators $S_{F_i[0]} \equiv S_i$ *the screening operators*.

Proposition 3.1. *We have*

$$P_f^+\left(F_{j,i}(t)\right) \,=\, S_i\big(P_f^+(F_{j,i+1}(t))\big)\,, \quad P_f^-\left(F_{j,i}(t)\right) \,=\, -q\,S_{j-1}\big(P_f^-(F_{j-1,i}(t))\big)\,, \quad i<j-1\,. \tag{3.1}$$

Proof. We apply the projection P_f^+ to both sides of the relation (2.18) with $a = i+1$ and the projection P_f^- to both sides of the relation (2.19) with $a = j-1$. The modes $F_i[k]$ with $k<0$ belong to U_f^- and the modes $F_{j-1}[k]$ with $k \geq 0$ belong to U_f^+. Hence, due to formulae (2.24), the projections $P_f^\pm$ both kill the semi-infinite sum in the right hand side of (2.18) and (2.19), and we get

$$\begin{aligned} P_f^+\left(F_{j,i}(t)\right) \,&=\, P_f^+\left(F_{j,i+1}(t)F_i[0] - q^{-1}\,F_i[0]F_{j,i+1}(t)\right) \,= \\ &=\, P_f^+\left(S_i\left(F_{j,i+1}(t)\right)\right) \,=\, S_i\left(P_f^+\left(F_{j,i+1}(t)\right)\right) \end{aligned} \tag{3.2}$$

and

$$\begin{aligned} P_f^-\left(F_{i,j}(t)\right) \,&=\, -q\,P_f^-\left(\,F_{j-1,i}(t)F_{j,j-1}[0] - q^{-1}F_{j,j-1}[0]F_{j-1,i}(t)\right) \,= \\ &=\, -q\,P_f^-\left(S_{j-1}\left(F_{j-1,i}(t)\right)\right) \,=\, -q\,S_{j-1}\left(P_f^-\left(F_{j-1,i}(t)\right)\right) \end{aligned} \tag{3.3}$$

To get the last equalities we use the fact proved in [9] that the projection $P_f^\pm$ commutes with the screening operators S_i: $P_f^\pm\big(S_i(W)\big) = S_i\big(P_f^\pm(W)\big)$ for any $W \in U_f$. □

The screening operators also relate the Gauss coordinates of the L-operators.

Lemma 3.2. *We have*

$$(q-q^{-1})\mathrm{F}_{j,i}^\pm(t) \,=\, S_i\left(\mathrm{F}_{j,i+1}^\pm(t)\right)\,, \qquad i<j-1\,. \tag{3.4}$$

Proof of this Lemma was given in [10][2] and is based on the commutation relation between matrix elements $\mathrm{L}_{i,i+1}^+(s)$ and $\mathrm{L}_{i+1,j}^\pm(t)$. One should consider the coefficients at the zero power of the spectral parameter s in these relations and take into account that $\mathrm{L}_{i,i+1}^+[0] = F_i[0]k_{i+1}^+[0]$ and $\mathrm{L}_{i+1,i+1}^+[0] = k_{i+1}^+[0]$. □

Proposition 3.1 and Lemma 3.2 imply the following

Proposition 3.3. *We have*

$$P_f^+\left(F_{j,i}(t)\right) \,=\, (q-q^{-1})^{j-i-1}\mathrm{F}_{j,i}^+(t)\,, \qquad i<j-1\,, \tag{3.5}$$

$$P_f^-\left(F_{j,i}(t)\right) \,=\, -(q-q^{-1})^{j-i-1}\left(\mathrm{F}_{j,i}^-(t) + \sum_{\ell=1}^{j-i-1}(-1)^\ell \sum_{j>i_\ell>\dots>i_1>i} \mathrm{F}_{i_1,i}^-(t)\cdots\mathrm{F}_{j,i_\ell}^-(t)\right)\,. \tag{3.6}$$

[2] See also the proof of the analogous Lemma 3.4 below.

Proof. First equality (3.5) was proved in [10] using induction with respect to $j-i$ from the formula $P_f^+\big(F_{i+1,i}(t)\big)=\mathrm{F}^+_{i+1,i}(t)$ [4]. Here we shall prove (3.6). We apply the projection P_f^- to both sides of the relation (2.18) to obtain

$$P_f^-\left(F_{j,i}(t)\right)=S_i\left(P_f^-\left(F_{j,i+1}(t)\right)\right)+(q-q^{-1})\;P_f^-\left(F_{i+1,i}(t)\right)\cdot P_f^-\left(F_{j,i+1}(t)\right)\,. \tag{3.7}$$

Using this relation recursively and the Lemma 3.2, we get

$$P_f^-\left(F_{j,i}(t)\right)+(q-q^{-1})^{j-i-1}\mathrm{F}^-_{j,i}(t)+\sum_{\ell=i+1}^{j-1}(q-q^{-1})^{j-\ell}\;\mathrm{F}^-_{\ell,i}(t)\cdot P_f^-\left(\mathrm{F}_{j,\ell}(t)\right)=0\,. \tag{3.8}$$

¿From the identity

$$P_f^-\left(F_{i+1,i}(t)\right)=-\mathrm{F}^-_{i+1,i}(t) \tag{3.9}$$

one proves that equality (3.6) is a solution of this recurrence relation, and coincide with it for $i=j-1$. □

Proceeding in analogous way, we may relate the projections of the dual composed currents $P_e^{\pm}(E_{i,j}(t))$ with Gauss coordinates $\mathrm{E}^{\pm}_{i,j}(t)$, but here we shall need only the relations between different dual Gauss coordinates or analog of the Lemma 3.2 for $\mathrm{E}^{\pm}_{i,j}(t)$. Set $\hat{S}_A(B)=AB-qBA$ and denote $\hat{S}_{E_i[0]}\equiv\hat{S}_i$.

Lemma 3.4. *We have*

$$(q-q^{-1})\mathrm{E}^{\pm}_{i,j}(t)\;=\;\hat{S}_i\left(\mathrm{E}^{\pm}_{i+1,j}(t)\right)\,,\qquad i<j-1\,. \tag{3.10}$$

Proof. Let us consider the commutation relations between the following matrix elements of L-operators

$$(t-s)[\mathrm{L}^{\pm}_{j,i+1}(t),\mathrm{L}^-_{i+1,i}(s)]=(q-q^{-1})\left(t\mathrm{L}^-_{i+1,i+1}(s)\mathrm{L}^{\pm}_{j,i}(t)-s\mathrm{L}^{\pm}_{i+1,i+1}(t)\mathrm{L}^-_{j,i}(s)\right)\,,$$
$$(qt-q^{-1}s)\mathrm{L}^-_{i+1,i+1}(s)\mathrm{L}^{\pm}_{j,i+1}(t)=(t-s)\mathrm{L}^{\pm}_{j,i+1}(t)\mathrm{L}^-_{i+1,i+1}(s)+(q-q^{-1})s\mathrm{L}^{\pm}_{i+1,i+1}(t)\mathrm{L}^-_{j,i+1}(s)\,.$$

Choosing the coefficients at the zero power of the spectral parameter s in these relations and taking into account that $\mathrm{L}^-_{i+1,i}[0]=-k^-_{i+1}[0]E_i[0]$ and $\mathrm{L}^-_{i+1,i+1}[0]=k^-_{i+1}[0]$ we obtain

$$(q-q^{-1})\mathrm{L}^{\pm}_{j,i}(t)=E_i[0]\mathrm{L}^{\pm}_{j,i+1}(t)-q\mathrm{L}^{\pm}_{j,i+1}(t)E_i[0]=\hat{S}_i\left(\mathrm{L}^{\pm}_{j,i+1}(t)\right)\,. \tag{3.11}$$

In order to obtain (3.10) we shall use an explicit expression for the matrix elements of the L-operator (2.9) in terms of the Gauss coordinates. The relation (3.11) implies (3.10) for $j=N$ due to the commutativity of $k^{\pm}_N(t)$ and $E_i[0]$ for $i=1,\ldots,N-2$. Next, the relations (3.11) for $j=N-1$ and (3.10) for $j=N$ imply (3.10) for $j=N-1$ due to the commutativity of the Gauss coordinates $k^{\pm}_{N-1}(t)$, $k^{\pm}_N(t)$ and $\mathrm{F}^{\pm}_{N,N-1}(t)$ with $E_i[0]$ for $i=1,\ldots,N-3$. The statement of the Lemma follows by induction over j. □

3.2 Basic notations

Let $\bar{l}$ and $\bar{r}$ be two collections of nonnegative integers satisfying a set of inequalities

$$l_a\le r_a\,,\quad a=1,\ldots,N-1\,. \tag{3.12}$$

Denote by $[\bar l,\bar r]$ a set of segments which contain positive integers $\{l_a+1, l_a+2,\dots, r_a-1, r_a\}$ including r_a and excluding l_a. The length of each segment is equal to r_a-l_a.

For a given set $[\bar l,\bar r]$ of segments we denote by $\bar t_{[\bar l,\bar r]}$ the sets of variables

$$\bar t_{[\bar l,\bar r]}=\{t^1_{l_1+1},\dots,t^1_{r_1};t^2_{l_2+1},\dots,t^2_{r_2};\dots;t^{N-1}_{l_{N-1}+1},\dots,t^{N-1}_{r_{N-1}}\}. \tag{3.13}$$

For any $a=1,\dots,N-1$ we denote the sets of variables corresponding to the segments $[l_a,r_a]=\{l_a+1,l_a+2,\dots,r_a\}$ as $\bar t^a_{[l_a,r_a]}=\{t^a_{l_a+1},\dots,t^a_{r_a}\}$. All the variables in $\bar t^a_{[l_a,r_a]}$ have type a. For the segments $[l_a,r_a]=[0,n_a]$ we use the shorten notations $\bar t_{[\bar 0,\bar n]}\equiv\bar t_{[\bar n]}$ and $\bar t^a_{[0,n_a]}\equiv\bar t^a_{[n_a]}$.

For a collection of variables $\bar t_{[\bar l,\bar r]}$ we consider the ordered products of the currents

$$\mathcal{F}(\bar t_{[\bar l,\bar r]})=\prod_{N-1\ge a\ge 1}^{\longleftarrow}\left(\prod_{r_a\ge\ell>l_a}^{\longleftarrow}F_a(t^a_\ell)\right)=F_{N-1}(t^{N-1}_{r_{N-1}})\cdots F_1(t^1_{r_1})\cdots F_1(t^1_{l_1+1})\,, \tag{3.14}$$

where the series $F_a(t)\equiv F_{a+1,a}(t)$ are defined by (2.10). As particular cases, we have $\mathcal{F}(\bar t^a_{[l_a,r_a]})=F_a(t^a_{r_a})\cdots F_a(t^a_{l_a+2})F_a(t^a_{l_a+1})$.

The product (3.14) is a formal series over the ratios t^b_k/t^c_l with $b<c$ and t^a_i/t^a_j with $i<j$ taking values in the algebra U_F.

Symbol $\prod\limits_a^{\longleftarrow}A_a$ (resp. $\prod\limits_a^{\longrightarrow}A_a$) means the ordered products of noncommutative entries A_a, such that A_a is on the right (resp. on the left) from A_b for $b>a$:

$$\prod_{j\ge a\ge i}^{\longleftarrow}A_a=A_j\,A_{j-1}\,\cdots\,A_{i+1}\,A_i\,,\qquad \prod_{i\le a\le j}^{\longrightarrow}A_a=A_i\,A_{i+1}\,\cdots\,A_{j-1}\,A_j\,.$$

Consider the permutation group S_n and its action on the formal series of n variables defined for the elementary transpositions $\sigma_{i,i+1}$ as follows

$$\pi(\sigma_{i,i+1})G(t_1,\dots,t_i,t_{i+1},\dots,t_n)=\frac{q^{-1}-q\,t_i/t_{i+1}}{q-q^{-1}\,t_i/t_{i+1}}\;G(t_1,\dots,t_{i+1},t_i,\dots,t_n),$$

The q-depending factor in this formula is chosen in such a way that each product $F_a(t_n)\cdots F_a(t_1)$ is invariant under this action. Summing the action over all the group of permutations we obtain the operator $\overline{\mathrm{Sym}}_u=\frac{1}{n!}\sum\limits_{\sigma\in S_n}\pi(\sigma)$ acting as follows[3]

$$\overline{\mathrm{Sym}}_{\,\bar t}\;G(\bar t)=\frac{1}{n!}\sum_{\sigma\in S_n}\prod_{\substack{\ell<\ell'\\ \sigma(\ell)>\sigma(\ell')}}\frac{q^{-1}-q\,t_{\sigma(\ell')}/t_{\sigma(\ell)}}{q-q^{-1}\,t_{\sigma(\ell')}/t_{\sigma(\ell)}}\;G({}^\sigma t). \tag{3.15}$$

The product is taken over all pairs (ℓ,ℓ'), such that conditions $\ell<\ell'$ and $\sigma(\ell)>\sigma(\ell')$ are satisfied simultaneously.

We call the operator $\overline{\mathrm{Sym}}_u$ a *q-symmetrization*. The operator $\overline{\mathrm{Sym}}_u$ is the group average with respect to the action π, so that

$$\overline{\mathrm{Sym}}_{\,\bar t}\;\overline{\mathrm{Sym}}_{\,\bar t}\;(\cdot)=\;\overline{\mathrm{Sym}}_{\,\bar t}\;(\cdot)\,. \tag{3.16}$$

[3]Normalization of the q-symmetrization used here differs from the one used in the papers [12, 13] by the combinatorial factor $\frac{1}{n!}$.

An important property of q-symmetrization is the relation

$$\overline{\mathrm{Sym}}_{(t_1,\ldots,t_n)} = \frac{s!(n-s)!}{n!} \sum_{\sigma\in S_n^{(s)}} \pi(\sigma)\, \overline{\mathrm{Sym}}_{(t_1,\ldots,t_s)} \overline{\mathrm{Sym}}_{(t_{s+1},\ldots,t_n)}\,, \tag{3.17}$$

where $s \in [0,n]$ is fixed and the sum is taken over the subset

$$S_n^{(s)} = \{\sigma \in S_n \mid \sigma(1) < \ldots < \sigma(s)\,;\ \sigma(s+1) < \ldots < \sigma(n)\}\,.$$

Denote by $S_{[\bar l,\bar r]} = S_{[l_1,r_1]} \times \cdots \times S_{[l_{N-1},r_{N-1}]}$ the direct product of the groups $S_{[l_a,r_a]}$ permuting integer numbers $l_a+1,\ldots,r_a$. The q-symmetrization over the whole set of variables $\bar t_{[\bar l,\bar r]}$ is defined by the formula

$$\overline{\mathrm{Sym}}_{\,\bar t_{[\bar l,\bar r]}}\, G(\bar t_{[\bar l,\bar r]}) = \sum_{\sigma\in S_{[\bar l,\bar r]}} \prod_{1\le a\le N-1} \left(\frac{1}{(r_a-l_a)!} \prod_{\substack{\ell<\ell' \\ \sigma^a(\ell)>\sigma^a(\ell')}} \frac{q^{-1} - q\, t^a_{\sigma^a(\ell')}/t^a_{\sigma^a(\ell)}}{q - q^{-1}\, t^a_{\sigma^a(\ell')}/t^a_{\sigma^a(\ell)}} \right) G({}^\sigma \bar t_{[\bar l,\bar r]})\,, \tag{3.18}$$

where the set ${}^\sigma \bar t_{[\bar l,\bar r]}$ is defined as

$${}^\sigma \bar t_{[\bar l,\bar r]} = \{t^1_{\sigma^1(l_1+1)},\ldots,t^1_{\sigma^1(r_1)}; t^2_{\sigma^2(l_2+1)},\ldots,t^2_{\sigma^2(r_2)}; \ldots; t^{N-1}_{\sigma^{N-1}(l_{N-1}+1)},\ldots,t^{N-1}_{\sigma^{N-1}(r_{N-1})}\}. \tag{3.19}$$

We say that the series $G(\bar t_{[\bar l,\bar r]})$ is q-symmetric, if it is invariant under the action π of each group $S_{[l_a,r_a]}$ with respect to the permutations of the variables $t^a_{l_a+1},\ldots,t_{r_a}$ for $a = 1,\ldots,N-1$:

$$\overline{\mathrm{Sym}}_{\,\bar t_{[\bar l,\bar r]}} G(\bar t_{[\bar l,\bar r]}) = G(\bar t_{[\bar l,\bar r]})\,. \tag{3.20}$$

The q-symmetrization $G(\bar t_{[\bar l,\bar r]}) = \overline{\mathrm{Sym}}_{\bar t_{[\bar l,\bar r]}} Q(\bar t_{[\bar l,\bar r]})$ of any series $Q(\bar t_{[\bar l,\bar r]})$ is a q-symmetric series, which follows from (3.16).

Let $\bar s = \{s_1,\ldots,s_{N-1}\}$ be a set of nonnegative integers satisfying $l_a \le s_a \le r_a$ for $a = 1,\ldots,N-1$. The set of integers $\bar s$ divides the set of the variables $\bar t_{[\bar l,\bar r]}$ into two subsets $\bar t_{[\bar s,\bar r]} \cup \bar t_{[\bar l,\bar s]}$.

Using the property of the projections (2.25) we can present any product of the currents in a normal ordered form (in the sense of definition 2.1):

$$\begin{aligned} \mathcal{F}(\bar t_{[\bar l,\bar r]}) = \sum_{l_{N-1}\le s_{N-1}\le r_{N-1}} \cdots \sum_{l_1\le s_1\le r_1} \prod_{1\le a\le N-1} \frac{(r_a-l_a)!}{(s_a-l_a)!(r_a-s_a)!} \times \\ \times\, \overline{\mathrm{Sym}}_{\,\bar t_{[\bar l,\bar r]}} \left(Z_{\bar s}(\bar t_{[\bar l,\bar r]})\; P_f^-\left(\mathcal{F}(\bar t_{[\bar s,\bar r]})\right) \cdot P_f^+\left(\mathcal{F}(\bar t_{[\bar l,\bar s]})\right)\right), \end{aligned} \tag{3.21}$$

where

$$Z_{\bar s}(\bar t_{[\bar l,\bar r]}) = \prod_{a=1}^{N-2} \prod_{\substack{s_a<\ell\le r_a \\ l_{a+1}<\ell'\le s_{a+1}}} \frac{q - q^{-1}\; t^a_\ell \,/\, t^{a+1}_{\ell'}}{1 - t^a_\ell \,/\, t^{a+1}_{\ell'}}\,. \tag{3.22}$$

Equality (3.21) was proved in [12] and the proof is based on the current coproduct property (2.13) and the exchange relations between currents.

3.3 Special presentation of the universal weight function

Let $\bar{m} = \{m_1, \dots, m_{N-1}\}$ be a collection of the non-negative integers satisfying the admissibility condition

$$m_1 \geq m_2 \geq m_3 \dots \geq m_{N-1} \geq m_N = 0\,. \tag{3.23}$$

We define a series depending on the set of the variables $\bar{t}_{[\bar{m}]}$ of the form

$$\tilde{X}(\bar{t}_{[\bar{m}]}) = \prod_{a=1}^{N-2} V(t^{a+1}_{m_{a+1}}, \dots, t^{a+1}_1; t^a_{m_a}, \dots, t^a_{m_a - m_{a+1}+1})\,. \tag{3.24}$$

where the rational series $V(\cdot;\cdot)$ is given by the formulae

$$\begin{aligned}\tilde{V}(t^2_k, \dots, t^2_1; t^1_k, \dots, t^1_1) &= \prod_{m=1}^{k} \left(\frac{1}{1 - t^1_m/t^2_m} \prod_{m'=m+1}^{k} \frac{q - q^{-1} t^1_{m'}/t^2_m}{1 - t^1_{m'}/t^2_m} \right) \\ &= \prod_{m=1}^{k} \left(\frac{1}{1 - t^1_m/t^2_m} \prod_{m'=1}^{m-1} \frac{q - q^{-1} t^1_m/t^2_{m'}}{1 - t^1_m/t^2_{m'}} \right)\,.\end{aligned} \tag{3.25}$$

Define a normalized ordered product of the composed currents:

$$\tilde{\mathcal{S}}_{\bar{m}}(\bar{t}_{[\bar{m}]}) = \tilde{X}(\bar{t}_{[\bar{m}]}) \overleftarrow{\prod_{N \geq a > 1}} \left(\frac{1}{(m_{a-1} - m_a)!} \overleftarrow{\prod_{m_1 - m_a \geq \ell > m_1 - m_{a-1}}} F_{a,1}(t^1_\ell) \right)\,. \tag{3.26}$$

This ordered product was called *the dual string* in the paper [20]. Denote the negative projections of the q-symmetrized dual strings (3.26) as follows

$$\mathcal{E}_{m_1, m_2, \dots, m_{N-1}}(\bar{t}_{[\bar{m}]}) = P^-_f \left(\overline{\mathrm{Sym}}_{\,\bar{t}_{[\bar{m}]}} \left(\tilde{\mathcal{S}}_{\bar{m}}(\bar{t}_{[\bar{m}]}) \right) \right)\,. \tag{3.27}$$

Denote by $\mathcal{D}_{n_1, \dots, n_{N-1}}(\bar{t}_{[\bar{n}]})$ the elements of U^-_f defined by the recursive relations

$$\overline{\mathrm{Sym}}_{\,\bar{t}_{[\bar{n}]}} \left(\sum_{\substack{n_1 \geq m_1 \geq 0 \\ m_1 \geq \dots \geq m_{N-1}}} \cdots \sum_{n_{N-1} \geq m_{N-1} \geq 0} Z_{\bar{m}}(\bar{t}_{[\bar{n}]}) \mathcal{D}_{n_1 - m_1, \dots, n_{N-1} - m_{N-1}}(\bar{t}_{[\bar{m}, \bar{n}]}) \cdot \mathcal{E}_{m_1, \dots, m_{N-1}}(\bar{t}_{[\bar{m}]}) \right) = 0. \tag{3.28}$$

It was proved in [20] that the coefficients $\mathcal{D}_{n_1, \dots, n_{N-1}}(\bar{t}_{[\bar{n}]})$ defined by (3.28) are non-zero only iff $n_1 \geq n_2 \geq \dots \geq n_{N-1} \geq 0$ and can be defined uniquely by means of (3.28) from the initial condition $\mathcal{D}_{0, \dots, 0}(\bar{t}_{[\bar{n}]}) = 1$. In particular,

$$\mathcal{D}_{\underbrace{1, \dots, 1}_{m \text{ times}}, 0, \dots, 0}(t^1, \dots, t^{N-1}) = -\mathcal{E}_{\underbrace{1, \dots, 1}_{m \text{ times}}, 0, \dots, 0}(t^1, \dots, t^{N-1}) = -\prod_{a=1}^{m-1} \frac{1}{1 - t^a/t^{a+1}} \; P^-_f \left(F_{m+1,1}(t^1) \right)\,. \tag{3.29}$$

Denote by $\bar{t}_{[\bar{s}']}$ the following collection of the formal variables

$$\bar{t}_{[\bar{s}']} = \{t^2_1, \dots, t^2_{s_2}; \dots; t^{N-1}_1, \dots, t^{N-1}_{s_{N-1}}\}\,.$$

excluding the variables of type 1. We formulate without proof the following

Proposition 3.5. *[20] There is a formal series identity*

$$\mathcal{W}_N(\bar{t}_{[n]}) = \sum_{\bar{s}} \prod_{a=1}^{N-1} \frac{n_a!}{s_a!} \ \overline{\mathrm{Sym}}_{\ \bar{t}_{[n]}} \Big(Z_{\bar{s}}(\bar{t}_{[\bar{n}]}) \times \\ \times \mathcal{D}_{n_1-s_1,\ldots,n_{N-1}-s_{N-1}}(\bar{t}_{[\bar{s},\bar{n}]}) \cdot \mathcal{W}_{N-1}(\bar{t}_{[\bar{s}']}) \cdot F_1(t^1_{s_1}) \cdots F_1(t^1_1) \Big) . \tag{3.30}$$

In this paper we will need the following Corollary of this Proposition. Let $\bar{t}_{[\bar{n}']_m}$ be the following collection of formal variables

$$\bar{t}_{[\bar{n}']_m} = \{t^2_1, \ldots, t^2_{n_2-1}; \ldots; t^m_1, \ldots, t^m_{n_m-1}; t^{m+1}_1, \ldots, t^{m+1}_{n_{m+1}}; \ldots; t^{N-1}_1, \ldots, t^{N-1}_{n_{N-1}}\} . \tag{3.31}$$

Note that $\bar{t}_{[\bar{n}']_1} \equiv \bar{t}_{[\bar{n}']}$.

Corollary 3.6.

$$P^+_f\left(\mathcal{F}(\bar{t}_{[\bar{n}]})\right) = P^+_f\left(\mathcal{F}(\bar{t}_{[\bar{n}']_1})\right) \cdot \mathcal{F}(\bar{t}^1_{[n_1]}) - \sum_{m=1}^{N-1} \prod_{a=1}^{m} (n_a) \ \overline{\mathrm{Sym}}_{\ \bar{t}_{[\bar{n}]}} (P^-_f(F_{m+1,1}(t^1_{n_1})) \times \\ \times \ P^+_f(\mathcal{F}(\bar{t}_{[\bar{n}']_m})) \cdot \mathcal{F}(\bar{t}^1_{[n_1-1]}) \cdot \mathbb{Z}_m(\bar{t}_{[\bar{n}]})) + \mathbb{W} , \tag{3.32}$$

where

$$\mathbb{Z}_m(\bar{t}_{[\bar{n}]}) = \prod_{a=1}^{m-1} \left(\frac{1}{1 - t^a_{n_a}/t^{a+1}_{n_{a+1}}} \prod_{j=1}^{n_{a+1}-1} \frac{q - q^{-1} t^a_{n_a}/t^{a+1}_j}{1 - t^a_{n_a}/t^{a+1}_j} \right) \prod_{j=1}^{n_{m+1}} \frac{q - q^{-1} t^m_{n_m}/t^{m+1}_j}{1 - t^m_{n_m}/t^{m+1}_j} \tag{3.33}$$

and the terms $\mathbb{W}$ *in (3.32) are such that* $P^+_f(:\mathcal{T}_N(t) \cdot \mathbb{W}:) = 0$.

Recall that $\mathcal{F}(\bar{t}^1_{[n_1]}) = F_1(t^1_{n_1}) \cdots F_1(t^1_1)$ and $\mathcal{F}(\bar{t}^1_{[n_1-1]}) = F_1(t^1_{n_1-1}) \cdots F_1(t^1_1)$.

The first term in the right hand side of (3.32) corresponds to the term with all $s_a = n_a$ in (3.30). Each of the terms in the summation over m in (3.32) corresponds to the following values of s_m in the general formula (3.30): $s_1 = n_1 - 1, \ldots, s_m = n_m - 1$ and $s_{m+1} = n_{m+1}, \ldots, s_{N-1} = n_{N-1}$. The corresponding elements $\mathcal{D}_{1,\ldots,1,0,\ldots,0}$ are given by (3.29), which brings in (3.32) the product of the rational factors $(1 - t^a_{n_a}/t^{a+1}_{n_{a+1}})^{-1}$. Other rational factors are given by the series $Z_{\bar{s}}(\bar{t}_{[\bar{n}]})$ for these particular values of $\bar{s}$.

The general structure of the terms $\mathbb{W}$ which are not presented explicitly in the right hand side of (3.32) can be described as follows. The structure of the coefficients $\mathcal{E}_{m_1,m_2,\ldots,m_{N-1}}(\bar{t}_{[\bar{m}]})$ (3.27) implies that these terms will have on the left the negative projections of the string $\tilde{\mathcal{S}}_{\bar{m}}(\bar{t}_{[\bar{m}]})$ which contains, at least, the product of two currents $F_{c_1,1}$ and $F_{c_2,1}$ or the product of the several negative projections of the strings of type (3.27). Since the projection of the string can be always factorized to the product of the projection of the currents [12], the general structure of the terms $\mathbb{W}$ will be $\mathbb{W} = \sum P^-_f(F_{c_1,1}) \cdot P^-_f(F_{c_2,1}) \cdot \mathbb{W}'$. The elements $\mathbb{W}'$ are some elements of U_F and their exact structure is unimportant. The reason why $P^+_f(:\mathcal{T}_N(t) \cdot \mathbb{W}:) = 0$ will be explained in the next subsection.

Note that the identity (3.30) can be proved directly using only the ordering relations (3.21) and the rules of calculations of the negative projections from the product of currents. Indeed, for an arbitrary product of currents $\mathcal{F}(\bar{t}_{[\bar{n}]})$, these ordering relations can be written in the form

$$P^+_f\left(\mathcal{F}(\bar{t}_{[\bar{n}]})\right) = \mathcal{F}(\bar{t}_{[\bar{n}]}) - \sum P^-_f(\mathcal{F}') \cdot P^+_f(\mathcal{F}'') , \tag{3.34}$$

where the number of currents in the product $\mathcal{F}''$ is less than in the original product $\mathcal{F}(\bar{t}_{[\bar{n}]})$. Thus, one can replace recursively the positive projection $P_f^+(\mathcal{F}'')$ by the right hand side of the relation (3.34) up to the obvious identity $P_f^+(F_i(t)) = F_i(t) - P_f^-(F_i(t))$ valid for arbitrary simple current $F_i(t)$. Calculating the negative projections $P_f^-(\mathcal{F}')$ to obtain the projections of the strings of type (3.27), we can prove the identity (3.30) by brute force calculations. The technique of the generating series developed in [20] yields more elegant way of proving this and many other similar identities.

Example 3.7. *Let us present an example of the general formula (3.30) in the case $N = 3$, $n_1 = 2$ and $n_2 = 2$. To reduce the formula we will use shorthand notations $P_f^{\pm}(\cdot) = [\cdot]^{\pm}$. We also denote $t_i^2 = s_i$ and $t_i^1 = t_i$ and $\overline{\mathrm{Sym}}$ below will be the q-symmetrization over variables t_i and s_i.*

$$
\begin{aligned}
&\big[F_2(s_2)F_2(s_1)F_1(t_2)F_1(t_1)\big]^+ = \big[F_2(s_2)F_2(s_1)\big]^+F_1(t_2)F_1(t_1)\\
&\quad - 2\,\overline{\mathrm{Sym}}\left([F_1(t_2)]^-\big[F_2(s_2)F_2(s_1)\big]^+F_1(t_1)\prod_{j=1}^{2}\frac{q^{-1}t_2-qs_j}{t_2-s_j}\right)\\
&\quad - 4\,\overline{\mathrm{Sym}}\left([F_{3,1}(t_2)]^-[F_2(s_1)]^+F_1(t_1)\,\frac{s_2}{s_2-t_2}\frac{q^{-1}t_2-qs_1}{t_2-s_1}\right)\\
&\quad + \Bigg\{4\,\overline{\mathrm{Sym}}\left(\left([F_1(t_2)]^-[F_1(t_1)]^- - \frac{1}{2}\big[F_1(t_2)F_1(t_1)\big]^-\right)\big[F_2(s_2)F_2(s_1)\big]^+\prod_{i,j=1}^{2}\frac{q^{-1}t_i-qs_j}{t_i-s_j}\right)\\
&\quad + 4\,\overline{\mathrm{Sym}}\left(\left(\frac{s_2}{s_2-t_2}\,[F_{3,1}(t_2)]^-[F_1(t_1)]^- + \frac{s_2}{s_2-t_1}\frac{q^{-1}t_2-qs_2}{t_2-s_2}\,[F_1(t_2)]^-[F_{3,1}(t_1)]^-\right.\right.\\
&\qquad\qquad \left.\left. -\frac{s_2}{s_2-t_2}\,\big[F_{3,1}(t_2)F_1(t_1)\big]^-\right)[F_2(s_1)]^+\prod_{i=1}^{2}\frac{q^{-1}t_i-qs_1}{t_i-s_1}\right)\\
&\quad + 4\,\overline{\mathrm{Sym}}\left(\left([F_{3,1}(t_2)]^-[F_{3,1}(t_1)]^- - \frac{1}{2}\big[F_{3,1}(t_2)F_{3,1}(t_1)\big]^-\right)\frac{s_1}{s_1-t_1}\frac{s_2}{s_2-t_2}\frac{q^{-1}t_2-qs_1}{t_2-s_1}\right)\Bigg\}\,.
\end{aligned}
$$

The terms in curly brackets correspond to the term $\mathbb{W}$ in (3.32).

3.4 The action of $\mathrm{L}^+_{a,b}(t)$ onto $P_f^-(F_{c,d}(t))$

Definition 3.8. *Let I be the right ideal of $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$, generated by all elements of the form $F_i[n]\cdot U_q(\mathfrak{b}^+)$ such that $i = 1,\dots,N-1$ and $n < 0$. We denote equalities modulo elements from the ideal I by the symbol '$\sim_I$'.*

Proposition 3.9. *We have an equivalence*

$$
\mathrm{L}^+_{a,b}(t)\cdot\mathrm{F}^-_{c,d}(s)\ \sim_I\ \delta_{a,c}\,\frac{(q-q^{-1})s}{s-t}\,\mathrm{L}^+_{d,b}(t)\,. \tag{3.35}
$$

One of our technical tools will be the rule of commuting the negative projections of the composed currents $P_f^-(F_{c,d}(t'))$ with matrix elements of the fundamental L-operator $\mathrm{L}^+_{a,b}(t)$. We need a result of this calculation only modulo elements from the ideal I and call this as *action* of $P_f^-(F_{c,d}(t'))$ onto $\mathrm{L}^+_{a,b}(t)$. Due to the relation (3.6), in order to calculate the action

of the matrix elements $\mathrm{L}^+_{a,b}(t)$ onto $P^-_f\,(F_{c,d}(t'))$ one has to calculate first the action of the matrix elements $\mathrm{L}^+_{a,b}(t)$ onto Gauss coordinates $\mathrm{F}^-_{c,d}(t')$.

Proof of Proposition 3.9 will be done considering each fixed a.

Fix a and consider $c < a$. This case is simple. Formulas (3.6) can be inverted to express the Gauss coordinates $\mathrm{F}^-_{c,d}(s)$ in terms of the modes of the currents $F_d[n_d], \dots, F_{c-1}[n_{c-1}]$. But the L-operator modes $\mathrm{L}^+_{a,b}[n]$ simply commute with these current modes and so $\mathrm{L}^+_{a,b}(t) \cdot \mathrm{F}^-_{c,d}(s) = \mathrm{F}^-_{c,d}(s) \cdot \mathrm{L}^+_{a,b}(t) \in I$.

The case when $a = N$ is also simple. For this choice, we have also $b = N$ and $\mathrm{L}^+_{N,N}(t) \equiv k^+_N(t)$ commutes with the Gauss coordinates $\mathrm{F}^-_{c,d}(s)$ for $c = 2, \dots, N-1$. It means that $\mathrm{L}^+_{N,N}(t) \cdot \mathrm{F}^-_{c,d}(s) \sim 0$ for $c < N$. Let $c = N$. Taking into account that $\mathrm{F}^-_{N,d}(s) = \mathrm{L}^-_{d,N}(s)\mathrm{L}^-_{N,N}(s)^{-1}$ and the commutation relation

$$\mathrm{L}^+_{N,N}(t)\mathrm{L}^-_{d,N}(s) = \frac{qt - q^{-1}s}{t-s}\mathrm{L}^-_{d,N}(s)\mathrm{L}^+_{N,N}(t) - \frac{(q-q^{-1})s}{t-s}\mathrm{L}^+_{d,N}(t)\mathrm{L}^-_{N,N}(s) \tag{3.36}$$

we prove the statement of the Proposition for $a = N$.

Let $a < N$ and $c > a$. First consider the case when $b > c > a$. We have

$$\mathrm{L}^+_{a,b}(t) \cdot \mathrm{F}^-_{c,d}(s) = \mathrm{F}^+_{b,a}(t)\mathrm{F}^-_{c,d}(s)k^+_b(t) + \sum_{j=b+1} \mathrm{F}^+_{j,a}(t)\mathrm{F}^-_{c,d}(s)k^+_j(t)E^+_{b,j}(t)$$

due to the commutativity of the Gauss coordinates $k^+_b(t)$ and $k^+_j(t)E^+_{b,j}(t)$ with modes of the currents $F_d[n_d], \dots, F_{c-1}[n_{c-1}]$ or with Gauss coordinates $\mathrm{F}^-_{c,d}(s)$. The statement of the proposition follows from the lemma.

Lemma 3.10. *For $b > c > d > a$ and $b > c > a \geq d$*

$$\mathrm{F}^+_{b,a}(t)\mathrm{F}^-_{c,d}(s) \sim_I F_{b,a}(t)\mathrm{F}^-_{c,d}(s) \in I\,.$$

Proof is based on the commutation relations of the composed currents $F_{b,a}(t)$ and $F_{c,d}(s)$. They are

$$\begin{aligned}
\frac{t-s}{qt-q^{-1}s}\, F_{b,a}(t)\, F_{c,d}(s) &= \frac{q^{-1}t - qs}{t-s}\, F_{c,d}(s)\, F_{b,a}(t), \qquad && d < a\,,\\
F_{b,a}(t)\, F_{c,d}(s) &= \frac{q^{-1}t - qs}{t-s}\, F_{c,d}(s)\, F_{b,a}(t), \qquad && d = a\,,\\
F_{b,a}(t)\, F_{c,d}(s) &= F_{c,d}(s)\, F_{b,a}(t), && d > a\,,
\end{aligned}$$

and they take into account the Serre relations (2.12) (see details in Appendix A of the paper [12]). The product $F_{b,a}(t)\, F_{c,d}(s)$ has no poles for $d \geq a$ and has first order pole at the point $t = s$ in the case $d < a$, but the residue at this point of this product is zero. It means that commuting negative projections of the current $P^-_f\,(F_{c,d}(s))$ through the total currents $F_{b,a}(t)$ no higher currents will be created and the result of commutation will belong to the right ideal I. Because of the relation between negative Gauss coordinates and the negative projections of the composed currents given by (3.6) the same statement will be true for the Gauss coordinates. □

Next we consider the cases when $c > a$ and $c \geq b$. The statement of Proposition 3.9 will be proved by a double induction over c starting from $c = N$ and over b starting from

c. Let $c = N$ and $b = N$. Then using again the fact $\mathrm{F}^-_{N,d}(s) = \mathrm{L}^-_{d,N}(s)k^-_N(s)^{-1}$ and the commutation relations

$$\mathrm{L}^+_{a,N}(t)\mathrm{L}^-_{d,N}(s) = \frac{t-s}{q^{-1}t-qs}\mathrm{L}^-_{d,N}(s)\mathrm{L}^+_{a,N}(t) + \frac{(q-q^{-1})s}{q^{-1}t-qs}\mathrm{L}^-_{a,N}(t)\mathrm{L}^+_{d,N}(t) \tag{3.37}$$

we obtain the inclusion $\mathrm{L}^+_{a,N}(t)\mathrm{F}^-_{N,d}(s) \in I$. Before considering other cases we prove the following lemma.

Lemma 3.11. *For $b < c$ and arbitrary $a < b$ and $d < c$ we have*

$$\begin{aligned}
&\mathrm{L}^+_{a,b}(t)\cdot\mathrm{L}^-_{d,c}(s) + \frac{(q-q^{-1})^2ts}{(t-s)^2}\,\mathrm{L}^+_{d,c}(t)\cdot\mathrm{L}^-_{a,b}(s) \sim_I 0\,, \qquad a \neq d\,,\\
&\mathrm{L}^+_{a,b}(t)\cdot\mathrm{L}^-_{a,c}(s) \sim_I 0\,, \qquad a = d\,.
\end{aligned}$$

Proof. The case of $a = d$ follows from the relation

$$\mathrm{L}^+_{a,b}(t)\mathrm{L}^-_{a,c}(s) = \frac{t-s}{qt-q^{-1}s}\mathrm{L}^-_{a,c}(s)\mathrm{L}^+_{a,b}(t) + \frac{(q-q^{-1})s}{qt-q^{-1}s}\mathrm{L}^-_{a,b}(s)\mathrm{L}^+_{a,c}(t)\,.$$

The case $a < d$ follows from two relations

$$[\mathrm{L}^+_{a,b}(t), \mathrm{L}^-_{d,c}(s)] = \frac{(q-q^{-1})}{t-s}\left(s\;\mathrm{L}^+_{a,c}(t)\mathrm{L}^-_{d,b}(s) - t\;\mathrm{L}^-_{a,c}(s)\mathrm{L}^+_{d,b}(t)\right)\,,$$

$$[\mathrm{L}^+_{a,c}(t), \mathrm{L}^-_{d,b}(s)] = \frac{(q-q^{-1})t}{t-s}\left(\mathrm{L}^-_{d,c}(s)\mathrm{L}^+_{a,b}(s) - \mathrm{L}^+_{d,c}(t)\mathrm{L}^-_{a,b}(s)\right)\,.$$

The case $a > d$ can be proved analogously. □

Return to the proof of Proposition 3.9. Keep $c = N$ and consider $b = N-1$. Then

$$\begin{aligned}
&\mathrm{L}^+_{a,N-1}(t)\mathrm{F}^-_{N,d}(s) = \mathrm{L}^+_{a,N-1}\mathrm{L}^-_{d,N}(s)k^-_N(s)^{-1} \sim_I\\
&\quad\sim_I -\frac{(q-q^{-1})ts}{(t-s)^2}\mathrm{L}^+_{d,N}(t)\mathrm{L}^-_{a,N-1}(s)k^-_N(s)^{-1} =\\
&\quad= -\frac{(q-q^{-1})ts}{(t-s)^2}\mathrm{L}^+_{d,N}(t)\Big(\mathrm{F}^-_{N-1,a}(s)k^-_{N-1}(s) + \mathrm{F}^-_{N,a}(s)k^-_N(s)\mathrm{E}^-_{N-1,N}(s)\Big)k^-_N(s)^{-1},
\end{aligned} \tag{3.38}$$

where we used Lemma 3.11. Now the first term in the right hand side of (3.38) belongs to the ideal I because the second index of $\mathrm{L}^+_{d,N}(t)$ is bigger than the first index of $\mathrm{F}^-_{N-1,a}(s)$. The second term corresponds to the case $c = b = N$ considered above, and thus also belongs to I. Reducing b and using the Lemma 3.11 we proved the statement for all $b < N = c$.

Let now $c = N-1$. For the negative Gauss coordinate $\mathrm{F}^-_{N-1,d}(s)$ we can use the formula

$$\mathrm{F}^-_{N-1,d}(s) = \left(\mathrm{L}^-_{d,N-1}(s) - \mathrm{L}^-_{d,N}(s)\mathrm{E}^-_{N-1,N}(s)\right)k^-_{N-1}(s)^{-1}. \tag{3.39}$$

To prove that the product $\mathrm{L}^+_{a,N-1}(t)\mathrm{L}^-_{d,N-1}(s) \in I$ we can use the same arguments as for the product $\mathrm{L}^+_{a,N}(t)\mathrm{L}^-_{d,N}(s)$. The fact that $\mathrm{L}^+_{a,N-1}(t)\mathrm{L}^-_{d,N}(s) \in I$ was already proved above. Continuing we check that $\mathrm{L}^+_{a,b}(t)\mathrm{L}^-_{d,N-1}(s) \in I$ for all $b < N-1$. For general c we have to use instead of the formulae (3.39) the relation

$$\mathrm{F}^-_{c,d}(s) = \mathrm{L}^-_{d,c}(s)k^-_c(s)^{-1} + \mathrm{L}^-_{d,c+1}(s)X_{c+1} + \cdots + \mathrm{L}^-_{d,N}(s)X_N\,, \tag{3.40}$$

where the explicit form of the elements $X_j \in U_q(\mathfrak{b}^-)$ is not important.

At last we have to check the case $a = c < N$. The case $a = c = N$ was considered above. According to (3.40) the consideration of $\mathrm{L}^+_{a,b}(t)\mathrm{F}^-_{a,d}(s)$ reduces to the analysis of the product $\mathrm{L}^+_{a,b}(t)\mathrm{L}^-_{d,a}(s)k^-_a(s)^{-1}$. We have

$$[\mathrm{L}^+_{a,b}(t), \mathrm{L}^-_{d,a}(s)] = \frac{(q-q^{-1})}{t-s}\left(t\ \mathrm{L}^-_{d,b}(s)\mathrm{L}^+_{a,a}(t) - s\ \mathrm{L}^+_{d,b}(t)\mathrm{L}^+_{a,a}(t)\right)\,.$$

Since $\mathrm{L}^-_{a,a}(s)k^-_a(s)^{-1} = 1 + \sum_{j=a+1}^N \mathrm{F}^-_{j,a}(s)k^-_j(s)\mathrm{E}^-_{a,j}(s)k^-_a(s)^{-1}$ and $\mathrm{L}^+_{d,b}(t)\mathrm{F}^-_{j,a}(s) \in I$ the statement of the Proposition 3.9 is proved. □

Corollary 3.12. *We have an equivalence*

$$\mathrm{L}^+_{a,b}(t)\cdot P^-_f\left(F_{c,d}(s)\right) \sim_I \delta_{a,c}\ \frac{(q-q^{-1})^{c-d-1}s}{t-s}\ \mathrm{L}^+_{d,b}(t)\,. \tag{3.41}$$

Proof. Let us apply the matrix element $\mathrm{L}^+_{a,b}(t)$ to both side of (3.6). The first term gives the right hand side of (3.41). Other terms produce products of the Kronecker's symbols $\delta_{a,i_1}\,\delta_{d,i_2}\,\delta_{i_1,i_3}\cdots\delta_{i_{\ell-1},c}$ which are zero due to the restriction $d < i_1 < \cdots < i_\ell < c$. If $\ell = 1$ then $\delta_{a,i_1}\,\delta_{d,c} = 0$ since $d < c$. □

Let us explain why $P^+_f\,(:\mathcal{T}_N(t)\cdot\mathbb{W}:) = 0$, where $\mathbb{W}$ are the terms not shown explicitly in the right hand side of (3.32). Due to Corollary 3.12 the action of $\mathrm{L}^+_{a,b}(t)$ onto the product of two negative projections of the currents $P^-_f\,(F_{c_1,1})\cdot P^-_f\,(F_{c_2,1})$ is proportional to the product of delta-symbols: $\delta_{a,c_1}\delta_{1,c_2}$. But since $c_2 > 1$ this is zero modulo elements of the right ideal I, which obviously satisfies $P^+_f(I) = 0$.

4 Ordering of the universal objects

The proof of main Theorem 1 consists of a detailed analysis of the circular ordering of the product of the transfer matrix and of the universal Bethe vectors expressed in terms of the current generators of the quantum affine algebra $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$. In the next two subsections we will perform such an analysis to the case $N = 2$ and prove main Theorem 1 for the algebra $\overline{U}_q(\widehat{\mathfrak{gl}}_2)$. Then we go on by induction over N.

In what follows, besides the right ideal I and the left ideal J introduced in Definition 3.8 and Definition 2.2, we will also use the following ideal K.

Definition 4.1. *We denote by K the two-sided $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$ ideal generated by the elements which have at least one arbitrary mode $k^-_i[n]$, $i = 1,\ldots,N$, $n \le 0$, of the negative Cartan current $k^-_i(t)$.*
Equalities in $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$ modulo element of the ideal K are denoted by the symbol '$\sim_K$'.
Equalities in $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$ modulo the right ideal I, the left ideal J and the two-sided ideal K will be denoted by the symbol '$\approx$'.

4.1 Ordering for $\overline{U}_q(\widehat{\mathfrak{gl}}_2)$

The algebra $\overline{U}_q(\widehat{\mathfrak{gl}}_2)$ is generated by the modes of the Gauss coordinates $k^\pm_1(t)$, $k^\pm_2(t)$, $\mathrm{E}^\pm_{12}(t)$, $\mathrm{F}^\pm_{21}(t)$ in the L-operator realization or by the modes of the currents $k^\pm_1(t)$, $k^\pm_2(t)$, $E_1(t)$, $F_1(t)$

in the current realization. The standard quantum affine algebra $U_q(\widehat{\mathfrak{gl}}_2)$ can be obtained from $\overline{U}_q(\widehat{\mathfrak{gl}}_2)$ by imposing the restriction $k_i^+[0]\,k_i^-[0]=1$, $i=1,2$. To simplify further formulas we shall not use index of the single simple root in the notation of the Gauss coordinates and the currents, that is we use the following identification: $\mathrm{E}_{12}^{\pm}(t)\equiv \mathrm{E}^{\pm}(t)$, $\mathrm{F}_{21}^{\pm}(t)\equiv \mathrm{F}^{\pm}(t)$, $E_1(t)\equiv E(t)$, $F_1(t)\equiv F(t)$. Let $\psi^{\pm}(t)=k_1^+(t)k_2^+(t)^{-1}$.

The universal transfer matrix for $\overline{U}_q(\widehat{\mathfrak{gl}}_2)$ is given by the relation

$$\mathcal{T}_2(t)=\mathrm{L}_{11}^+(t)+\mathrm{L}_{22}^+(t)\quad\text{with}\quad \mathrm{L}_{11}^+=k_1^+(t)+\mathrm{F}^+(t)k_2^+(t)\mathrm{E}^+(t)\,,\ \mathrm{L}_{22}^+(t)=k_2^+(t)\,,$$

while a universal weight function is a projection $P_f^+\left(\mathcal{F}(\bar t)\right)=P_f^+\left(F(t_n)\cdots F(t_1)\right)$. We avoid to use upper index in the notation of the formal variables t_j.

Proposition 4.2. *There is a formal series equality in the algebra* $\overline{U}_q(\widehat{\mathfrak{gl}}_2)$

$$\begin{aligned}\mathcal{T}_2(t)\cdot P_f^+\left(\mathcal{F}(\bar t)\right)\ \approx\ & P_f^+\left(\mathcal{F}(\bar t)\right)\left(\prod_{i=1}^n\frac{q^{-1}-qt_i/t}{1-t_i/t}\ k_1^+(t)+\prod_{i=1}^n\frac{q-q^{-1}t_i/t}{1-t_i/t}\ k_2^+(t)\right)+\\ &+n\ \overline{\mathrm{Sym}}_{\,\bar t}\left(\mathrm{F}^+(t)k_2^+(t)\ F(t_n)\cdots F(t_2)\ \frac{(q-q^{-1})t_1/t}{1-t_1/t}\ \psi^+(t_1)\right)\\ &-n\ \overline{\mathrm{Sym}}_{\,\bar t}\left(\mathrm{F}^+(t)k_2^+(t)\ F(t_{n-1})\cdots F(t_1)\ \frac{(q-q^{-1})t_n/t}{1-t_n/t}\right).\end{aligned}\tag{4.1}$$

Proof of Proposition 4.2 is based on the special presentation of the universal weight function given by the Corollary 3.6. In this case we have

$$P_f^+\left(\mathcal{F}(\bar t)\right)=F(t_n)\cdots F(t_1)-n\ \overline{\mathrm{Sym}}_{\,\bar t}\left(P_f^-\left(F(t_n)\right)\cdot F(t_{n-1})\cdots F(t_1)\right)+\mathbb{W}\,,\tag{4.2}$$

where $\mathbb{W}$ are the terms which have on the left the product of at least two negative projections of the currents $F(t)$. Since $P_f^-\left(F(t)\right)=-\mathrm{F}^-(t)$ these terms can be equally described as having on the left the product of at least of two negative Gauss coordinates $\mathrm{F}^-(t)$. As was explained above and as we will see explicitly below, the terms $\mathbb{W}$ are characterized by the property that $\mathcal{T}_2(t)\cdot\mathbb{F}\in I$.

We will order the product of $\mathcal{T}_2(t)$ and each summand in the right hand side of (4.2) separately. For the ordering of the first term we use the relation

$$[\mathrm{E}^+(t),F(t_1)]=\frac{(q-q^{-1})t_1}{t-t_1}(\psi^+(t_1)-\psi^-(t_1))\,,$$

so that

$$\begin{aligned}&\left[k_1^+(t)+k_2^+(t)+\mathrm{F}^+(t)k_2^+(t)\mathrm{E}^+(t)\right]\cdot F(t_n)\cdots F(t_1)\ =\\ &=\ F(t_n)\cdots F(t_1)\left(\prod_{i=1}^n\frac{q^{-1}t-qt_i}{t-t_i}\ k_1^+(t)+\prod_{i=1}^n\frac{qt-q^{-1}t_i}{t-t_i}\ k_2^+(t)\right)\\ &\quad+n\ \overline{\mathrm{Sym}}_{\,\bar t}\left(\mathrm{F}^+(t)k_2^+(t)\ F(t_n)\cdots F(t_2)\ \frac{(q-q^{-1})t_1}{t-t_1}\ \psi^+(t_1)\right)\\ &\quad-n\ \overline{\mathrm{Sym}}_{\,\bar t}\left(\mathrm{F}^+(t)k_2^+(t)\ F(t_n)\cdots F(t_2)\frac{(q-q^{-1})t_1}{t-t_1}\ \psi^-(t_1)\right)\\ &\quad+\ \mathrm{F}^+(t)k_2^+(t)\ F(t_n)\cdots F(t_1)\ \mathrm{E}^+(t)\,.\end{aligned}\tag{4.3}$$

Here we used the exchange relations of the Cartan currents $k_i^+(t)$ and the total currents $F(t_j)$ and q-symmetrization in second and third terms of the right hand side of (4.3) appears when commuting Cartan currents $\psi^{\pm}(t_i)$ with total currents $F(t_j)$.

Observe that the last term in (4.3) belongs to the ideal J and the next to last term belongs to the ideal K. At this point we benefit from the absence of the restriction (2.14) in the algebra $\overline{U}_q(\widehat{\mathfrak{gl}}_2)$. Otherwise we would have to take into account the zero modes of the currents $\psi^-(t_1)$ if we were considering the standard quantum affine algebra $U_q(\widehat{\mathfrak{gl}}_2)$.

According to (3.21)

$$F(t_n)\cdots F(t_1) \sim_I P_f^+ \left(F(t_n)\cdots F(t_1)\right)$$

and equality (4.3) implies the equivalence

$$\begin{aligned}
&\left[k_1^+(t)+k_2^+(t)+\mathrm{F}^+(t)k_2^+(t)\mathrm{E}^+(t)\right]\cdot F(t_n)\cdots F(t_1) \;\approx \\
&\quad\approx\; P_f^+\left(F(t_n)\cdots F(t_1)\right)\left(\prod_{i=1}^n \frac{q^{-1}-qt_i/t}{1-t_i/t}\;k_1^+(t)+\prod_{i=1}^n \frac{q-q^{-1}t_i/t}{1-t_i/t}\;k_2^+(t)\right) \\
&\qquad + n\;\overline{\mathrm{Sym}}_{\,\bar t}\left(\mathrm{F}^+(t)k_2^+(t)\;F(t_n)\cdots F(t_2)\;\frac{(q-q^{-1})t_1/t}{1-t_1/t}\;\psi^+(t_1)\right).
\end{aligned} \tag{4.4}$$

Consider now the ordering of the product $\mathcal{T}_2(t)\left(P_f^-\left(F(t_n)\right)\cdot F(t_{n-1})\cdots F(t_1)\right)$. To perform this we will use the following specialization of the Proposition 3.9. For arbitrary element $\mathbb{X}\in U_F$ and $m\geq 1$ we have

$$\begin{aligned}
&\mathrm{L}_{11}^+(t)\cdot P_f^-\left(F(t_m)\cdots F(t_1)\right)\cdot\mathbb{X}\sim_I 0\,,\\
&\mathrm{L}_{22}^+(t)\cdot P_f^-\left(F(t_m)\cdots F(t_1)\right)\cdot\mathbb{X}\sim_I \delta_{m1}\frac{(q-q^{-1})t_1/t}{1-t_1/t}\;\mathrm{F}^+(t)\,k_2^+(t)\cdot\mathbb{X}\,.
\end{aligned} \tag{4.5}$$

Applying (4.5) to the second term in the right hand side of (4.2) we obtain

$$\mathcal{T}_2(t)\cdot P_f^-\left(F(t_n)\right)\cdot F(t_{n-1})\cdots F(t_1)\sim_I \frac{(q-q^{-1})t_n/t}{1-t_n/t}\;\mathrm{F}^+(t)\,k_2^+(t)\cdot F(t_{n-1})\cdots F(t_1)\,. \tag{4.6}$$

Since any equality modulo ideal I implies the related equality modulo all the ideals I, J and K, the relations (4.4) and (4.6) imply the statement of Proposition 4.2. □

Corollary 4.3. *Relation (4.1) can be considered as the equality*

$$\begin{aligned}
\mathcal{T}_2(t)\cdot P_f^+\left(\mathcal{F}(\bar t)\right)\;\sim_J\;& P_f^+\left(\mathcal{F}(\bar t)\right)\left(\prod_{i=1}^n \frac{q^{-1}-qt_i/t}{1-t_i/t}\;k_1^+(t)+\prod_{i=1}^n \frac{q-q^{-1}t_i/t}{1-t_i/t}\;k_2^+(t)\right)+\\
&+ n\;\overline{\mathrm{Sym}}_{\,\bar t}\left(P_f^+\left(\mathrm{F}^+(t)k_2^+(t)\;F(t_n)\cdots F(t_2)\right)\;\frac{(q-q^{-1})t_1/t}{1-t_1/t}\;\psi^+(t_1)\right)\\
&- n\;\overline{\mathrm{Sym}}_{\,\bar t}\left(P_f^+\left(\mathrm{F}^+(t)k_2^+(t)\;F(t_{n-1})\cdots F(t_1)\right)\;\frac{(q-q^{-1})t_n/t}{1-t_n/t}\right).
\end{aligned}$$

in $U_q(\mathfrak{b}^+)$ modulo elements of the ideal J.

Proof. Left hand side of the equality (4.1) belongs to $U_q(\mathfrak{b}^+)$ while the right hand side does not. We can imposing projection P_f^+ onto this right hand side to cancel all the terms which belongs to the ideal I. □

4.2 Proof of Theorem 1 for $\overline{U}_q(\widehat{\mathfrak{gl}}_2)$

Let us compare the last two lines in (4.1). They contain so called 'unwanted' terms. In order to cancel them we will use the following properties of q-symmetrization. For any formal series $G(t_1,\dots,t_n)$ on n formal variables t_i we have

$$n\ \overline{\mathrm{Sym}}_{\ \bar t}\ G(t_1,\dots,t_n)=\sum_{m=1}^{n}\prod_{j=m+1}^{n}\frac{q-q^{-1}t_m/t_j}{q^{-1}-qt_m/t_j}\ \overline{\mathrm{Sym}}_{\ \bar t\setminus t_m}\ G(t_1,\dots,t_{m-1},t_{m+1},\dots,t_n,t_m) \tag{4.7}$$

and

$$n\ \overline{\mathrm{Sym}}_{\ \bar t}\ G(t_1,\dots,t_n)=\sum_{m=1}^{n}\prod_{j=1}^{m-1}\frac{q-q^{-1}t_j/t_m}{q^{-1}-qt_j/t_m}\ \overline{\mathrm{Sym}}_{\ \bar t\setminus t_m}\ G(t_m,t_1,\dots,t_{m-1},t_{m+1},\dots,t_n)\,, \tag{4.8}$$

where q-symmetrization in the right hand sides of this formal series identities runs over $(n-1)$ variables $\bar t\setminus t_m=\{t_1,\dots,t_{m-1},t_{m+1},\dots,t_m\}$. Note that formulas (4.7) and (4.8) are particular cases of the property (3.17) for $s=n$ and $s=1$, respectively.

Using formulas (4.7) and (4.8) we may write the difference of unwanted terms in (4.1) as a sum

$$n\sum_{m=1}^{n}\overline{\mathrm{Sym}}_{\ \bar t\setminus t_m}\left(\mathrm{F}^+(t)k_2^+(t)\ F(t_n)\cdots F(t_{m+1})F(t_{m-1})\cdots F(t_1)\ \frac{(q-q^{-1})t_m/t}{1-t_m/t}\right.$$
$$\left.\left(\prod_{j=m+1}^{n}\frac{q-q^{-1}t_m/t_j}{q^{-1}-qt_m/t_j}\ \psi^+(t_m)-\prod_{j=1}^{m-1}\frac{q-q^{-1}t_j/t_m}{q^{-1}-qt_j/t_m}\right)\right).$$

Each term in this sum should be cancelled separately. This is possible if the Bethe parameters satisfy the universal Bethe equations [1]

$$\psi^+(t_m)=\frac{k_1^+(t_m)}{k_2^+(t_m)}=\prod_{j\neq m}^{n}\frac{q-q^{-1}t_j/t_m}{q^{-1}-qt_j/t_m}\,,\quad m=1,\dots,n\,. \tag{4.9}$$

Thus, Theorem 1 in the case $N=2$ is proved. □

4.3 General case

4.3.1 Preliminary exchange relations

To consider the general case of Theorem 1, we need the embedding $\Psi:\overline{U}_q(\widehat{\mathfrak{gl}}_N)\hookrightarrow\overline{U}_q(\widehat{\mathfrak{gl}}_{N+1})$, defined by the rule[4]

$$\Psi\left(\mathrm{L}_{i,j}^{[N]}(t)\right)=\mathrm{L}_{i+1,j+1}(t)\,,\quad i,j=1,\dots,N\,. \tag{4.10}$$

Let $\mathcal{T}'_N(t)=\sum_{i=2}^{N+1}L_{ii}(t)$ be the universal transfer matrix for the algebra $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$ and $\mathcal{W}'_N(\bar t_{[\bar n']})$ be the universal weight function, where $\bar n'$ is a set of the positive integers $\{n_2,\dots,n_N\}$ and $\bar t_{[\bar n']}$ is an associated set of the formal variables:

$$\bar t_{[\bar n']}=\{t_1^2,\dots,t_{n_2}^2;\dots;t_1^N,\dots,t_{n_N}^N\}\,.$$

[4]We omit writing explicitly superscript '+' of the L-operator and their Gauss coordinate, assuming that they are always from the standard positive Borel subalgebra $U_q(\mathfrak{b}^+)$.

Using the result of Corrolary 3.6 we present the $\overline{U}_q(\widehat{\mathfrak{gl}}_{N+1})$-universal weight function $\mathcal{W}_{N+1}(\bar{t}_{[\bar{n}]})$ in the form

$$\mathcal{W}_{N+1}(\bar{t}_{[\bar{n}]}) = \mathcal{W}'_N(\bar{t}_{[\bar{n}']}) \cdot \mathcal{F}(\bar{t}_{[n_1]}) - \mathbb{S}\,, \tag{4.11}$$

where $\mathbb{S}$ contains the sum of terms as in the right hand side of (3.32) and the redundant terms $\mathbb{W}$ such that $:\mathcal{T}_{N+1}(t)\cdot\mathbb{W}:\sim_I 0$.

We consider the product

$$\mathcal{T}_{N+1}(t)\cdot\mathcal{W}_{N+1}(\bar{t}_{[\bar{n}]}) \;=\; \mathcal{T}_{N+1}(t)\cdot\mathcal{W}'_N(\bar{t}_{[\bar{n}']})\cdot\mathcal{F}(\bar{t}_{[n_1]}) - \mathcal{T}_{N+1}(t)\cdot\mathbb{S}\,. \tag{4.12}$$

Since $\mathcal{T}_{N+1}(t) = \mathrm{L}_{11}(t) + \mathcal{T}'_N(t)$ we rewrite the first term in the right hand side of (4.12) modulo terms from the ideal I:

$$\mathcal{T}'_N(t)\cdot\mathcal{W}'_N(\bar{t}_{[\bar{n}']})\cdot\mathcal{F}(\bar{t}_{[n_1]}) + \mathrm{L}_{11}(t)\cdot\mathcal{F}(\bar{t}_{[\bar{n}]})\,. \tag{4.13}$$

To obtain (4.13) we use the result of the following

Lemma 4.4.

$$\mathrm{L}_{11}(t)\cdot\mathcal{W}'_N(\bar{t}_{[\bar{n}']})\cdot\mathcal{F}(\bar{t}_{[n_1]}) \sim_I \mathrm{L}_{11}(t)\cdot\mathcal{F}(\bar{t}_{[\bar{n}]})\,. \tag{4.14}$$

Proof. The universal Bethe vector $\mathcal{W}'_N(\bar{t}_{[\bar{n}']})$ for the algebra $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$ embedded into $\overline{U}_q(\widehat{\mathfrak{gl}}_{N+1})$ by (4.10) depends on the modes of the currents $F_2(t),\dots,F_N(t)$ and is given by the projection $P_f^+\left(\mathcal{F}(\bar{t}_{[\bar{n}']})\right)$ of the product of these currents. According to the ordering rules (3.21) we may replace this projection by the product of the total currents $\mathcal{F}(\bar{t}_{[\bar{n}']})$ subtracting the terms which have on the left the negative projection of the currents $P_f^-\left(F_{c,d}(t)\right)$ with $2\le d<c\le N+1$. According to (3.41) the product $\mathrm{L}_{11}(t)P_f^-\left(F_{c,d}(t')\right)\sim_I 0$. This proves the statement of the Lemma. □

Now we apply the result of Proposition 3.9 to the second term in the right hand side of (4.12). We have

$$\begin{aligned}\mathcal{T}_{N+1}(t)\cdot\mathbb{S} \;\sim_I \overline{\mathrm{Sym}}_{\,\bar{t}_{[\bar{n}]}}\Bigg(\sum_{m=1}^{N}\mathrm{L}_{1,m+1}(t)\cdot P_f^+\left(\mathcal{F}(\bar{t}_{[\bar{n}']_m})\right)\cdot\mathcal{F}(\bar{t}^{\,1}_{[n_1-1]})\times\\ \times\prod_{a=1}^{m}(n_a)\;\frac{(q-q^{-1})^m t^1_{n_1}/t}{1-t^1_{n_1}/t}\;\mathbb{Z}_m(\bar{t}_{[\bar{n}]})\Bigg)\end{aligned} \tag{4.15}$$

where the sets of the formal variables $\bar{t}_{[\bar{n}']_m}$ are defined by (3.31) and a rational series $\mathbb{Z}_m(\bar{t}_{[\bar{n}]})$ is defined by (3.33). We can simplify the right hand side of (4.15) replacing the projection $P_f^+\left(\mathcal{F}(\bar{t}_{[\bar{n}']_m})\right)$ by the product of the currents $\mathcal{F}(\bar{t}_{[\bar{n}']_m})$ due to the following

Lemma 4.5.

$$\mathrm{L}_{1,m+1}(t)\cdot P_f^+\left(\mathcal{F}(\bar{t}_{[\bar{n}'_m]})\right) \sim_I \mathrm{L}_{1,m+1}(t)\cdot\mathcal{F}(\bar{t}_{[\bar{n}'_m]})\,. \tag{4.16}$$

Proof of this Lemma is analogous to the proof of Lemma 4.4. □

Using the explicit form of the matrix elements $\mathrm{L}_{1,1}(t)$ and $\mathrm{L}_{1,m+1}(t)$ in terms of the Gauss coordinates

$$\mathrm{L}_{1,1}(t) = k_1^+(t) + \sum_{j=2}^{N+1}\mathrm{F}^+_{j,1}(t)k_j^+(t)\mathrm{E}^+_{1,j}(t)\,,$$

$$\mathrm{L}_{1,m+1}(t) = \mathrm{F}^+_{m+1,1}(t)k^+_{m+1}(t) + \sum_{j=m+2}^{N+1} \mathrm{F}^+_{j,1}(t)k^+_j(t)\mathrm{E}^+_{m+1,j}(t)\,,$$

we can present the product in the left hand side of (4.12) as the sum of the terms modulo ideal I

$$\begin{aligned}\mathcal{T}_{N+1}(t)\cdot\mathcal{W}_{N+1}(\bar t_{[\bar n]}) \;\sim_I\; \mathcal{T}'_N(t)\cdot\mathcal{W}'_N(\bar t_{[\bar n']})\cdot\mathcal{F}(\bar t_{[n_1]}) + k^+_1(t)\cdot\mathcal{F}(\bar t_{[\bar n]}) + \\ + \sum_{j=2}^{N+1}\mathrm{F}^+_{j,1}(t)k^+_j(t)\left(\mathrm{E}^+_{1,j}(t)\cdot\mathcal{F}(\bar t_{[\bar n]}) - \mathbb{A}_{j-1} - \sum_{m=1}^{j-2}\mathrm{E}^+_{m+1,j}(t)\cdot\mathbb{A}_m\right),\end{aligned} \tag{4.17}$$

where

$$\mathbb{A}_m = (q-q^{-1})^m\;\prod_{a=1}^{m}(n_a)\;\overline{\mathrm{Sym}}_{\,\bar t_{[\bar n]}}\left(\mathcal{F}(\bar t_{[\bar n']_m})\cdot\mathcal{F}(\bar t^{\,1}_{[n_1-1]})\;\cdot\mathbb{Z}_m(\bar t_{[\bar n]})\;\frac{t^1_{n_1}/t}{1-t^1_{n_1}/t}\right). \tag{4.18}$$

Calculation of (4.17) modulo elements of the ideal I is useful since now to continue ordering we have to exchange the Gauss coordinates $\mathrm{E}^+_{m+1,j}$ with total currents. These exchange relations are based on the formulae given by Lemma 3.4:

$$\mathrm{E}^+_{m+1,j}(t) = (q-q^{-1})^{m+2-j}\,\hat S_{m+1}\,\hat S_{m+2}\cdots\hat S_{j-2}\left(\mathrm{E}^+_{j-1,j}(t)\right)\,, \tag{4.19}$$

where the screening operators is defined as $\hat S_i(B) = E_i[0]\,B - qB\,E_i[0]$, the formulae

$$[\mathrm{E}^+_{i,i+1}(t), F_j(t')] \sim_K \delta_{i,j}\frac{(q-q^{-1})t'/t}{1-t'/t}\;\psi^+_i(t')\,, \tag{4.20}$$

and

$$[E_i[0], F_j(t')] \sim_K \delta_{i,j}(q-q^{-1})\,\psi^+_i(t')\,. \tag{4.21}$$

Here $\psi^+_i(t) = k^+_i(t)\,k^+_{i+1}(t)^{-1}$. Recall that the symbol '$\sim_K$' means an equality modulo terms of the ideal K which composed from the elements of $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$ with any mode of the negative Cartan current $\psi^-_i(t) = k^-_i(t)\,k^-_{i+1}(t)^{-1}$.

The ordering of the first term for $j=2$ in the right hand side of (4.17) can be performed as in the case of the algebra $U_q(\widehat{\mathfrak{sl}}_2)$ since the Gauss coordinate $\mathrm{E}^+_{1,2}(t)$ does not commute only with the currents $F_1(t^1_\ell)$. This term is equal to (modulo elements from the ideals K and J)

$$\begin{aligned}n_1(q-q^{-1})\mathrm{F}^+_{2,1}(t)k^+_2(t)\;\overline{\mathrm{Sym}}_{\,\bar t_{[\bar n]}}\left(\mathcal{F}(\bar t_{[\bar n']_1})\cdot\mathcal{F}(\bar t^{\,1}_{[1,n_1]})\;\frac{t^1_1/t}{1-t^1_1/t}\;\psi^+_1(t^1_1)\;-\right. \\ \left.-\;\mathcal{F}(\bar t_{[\bar n']_1})\cdot\mathcal{F}(\bar t^{\,1}_{[n_1-1]})\;\frac{t^1_{n_1}/t}{1-t^1_{n_1}/t}\;\prod_{j=1}^{n_2}\frac{q-q^{-1}t^1_{n_1}/t^2_j}{1-t^1_{n_1}/t^2_j}\right).\end{aligned} \tag{4.22}$$

The ordering of the Gauss coordinates $\mathrm{E}^+_{m+1,j}(t)$ with total currents is more involved. To perform this ordering we have to use besides (4.19), (4.20), (4.21) also the relation

$$\hat S_i\left(\psi^+_{i+1}(t)\right) = E_i[0]\,\psi^+_{i+1}(t) - q\,\psi^+_{i+1}(t)\,E_i[0] = (q-q^{-1})\psi^+_{i+1}(t)\mathrm{E}^+_i(t)\,. \tag{4.23}$$

Fix the jth term of the sum in the right hand side of (4.17) and denote

$$\mathbb{R}_j = \mathrm{E}^+_{1,j}(t)\cdot\mathcal{F}(\bar t_{[\bar n]}) - (q-q^{-1})^{j-1}\mathbb{A}_{j-1} - \sum_{m=1}^{j-2}(q-q^{-1})^m\mathrm{E}^+_{m+1,j}(t)\cdot\mathbb{A}_m\,. \tag{4.24}$$

We will exchange the Gauss coordinates $\mathrm{E}^+_{m+1,j}(t)$ with total current. As above we will calculate modulo elements of the ideals K and J.

We will describe this calculation as the sequence of the steps.

1. According to (4.19) the Gauss coordinate $\mathrm{E}^+_{m+1,j}(t)$ is composed from the zero mode of the currents $E_i(t)$ with $i = m+1, \dots, j-2$ and the Gauss coordinate $\mathrm{E}^+_{j-1,j}(t)$. It means that this Gauss coordinate will have nontrivial commutation relations only with the currents $F_a(t_s^a)$ for $a = m+1, \dots, j-1$. The move of the Gauss coordinates $\mathrm{E}^+_{m+1,j}(t)$ through the total current $F_a(t_s^a)$ with $a = m+1, \dots, j-2$ produces the terms which belong to the ideal J. These terms appear after commuting zero modes $E_a[0]$ with the current $F_a(t_s^a)$ and can be neglected since we perform the calculation modulo elements of the ideal J. The nontrivial terms, which we will consider, are created after exchanging the Gauss coordinate $\mathrm{E}^+_{m+1,j}(t)$ with the currents $F_{j-1}(t_s^{j-1})$. At the first step the Cartan currents $\psi^+_{j-1}(t_s^{j-1})$ together with a rational factor $\frac{(q-q^{-1})t_1^{j-1}/t}{1-t_1^{j-1}/t}$ appear according to (4.20) after an exchange of $\mathrm{E}^+_{j-1,j}(t)$ and the total current $F_{j-1}(t_s^{j-1})$ in the place of the latter current. This Cartan current should be moved to the right of the product of type $j-1$ currents. All the terms resulting from the exchange relation of $\mathrm{E}^+_{j-1,j}(t)$ and $F_{j-1}(t_s^{j-1})$ can be presented as the q-symmetrization over the type $j-1$ formal variables of the single term which appears after commutation of $\mathrm{E}^+_{j-1,j}(t)$ with $F_{j-1}(t_1^{j-1})$. Due to properties (3.16) this q-symmetrization is absorbed into 'global' q-symmetrization entering into definitions of the elements $\mathbb{A}_m$ (4.18) producing factor n_{j-1} due to definition of the q-symmetrization. The product of the current $\mathcal{F}(\bar{t}_{[\bar{n}]})$ in (4.24) can be also presented as the 'global' q-symmetrization over the set of the variables $\bar{t}_{[\bar{n}]}$.

2. The sequence of the screening operators $\hat{S}_{m+1} \cdots \hat{S}_{j-2}$ which enter the formula for the Gauss coordinate $\mathrm{E}^+_{m+1,j}(t)$ are applied according to equation (4.23) to replace the Cartan current $\psi^+_{j-1}(t_1^{j-1})$ on the right of the product of $j-1$-type currents by the factor $\psi^+_{j-1}(t_1^{j-1})\mathrm{E}^+_{m+1,j-1}(t_1^{j-1})$.

3. The Gauss coordinate $\mathrm{E}^+_{m+1,j-1}(t_1^{j-1})$ should be moved through the total currents of type $j-2$ to produce q-symmetrization over variables of the same type and the factor $\psi^+_{j-2}(t_1^{j-2})\mathrm{E}^+_{m+1,j-2}(t_1^{j-2})$ on the right of the product of this type current accompanied with a rational factor $\frac{(q-q^{-1})t_1^{j-2}/t_1^{j-1}}{1-t_1^{j-2}/t_1^{j-1}}$. Note that the factor n_{j-2} appears also due to definition of the q-symmetrization.

4. After moving all Gauss coordinates $\mathrm{E}^+_{m+1,a}(t_1^a)$ to the right we are left with a product of total currents where all the currents $F_a(t_1^a)$ have been replaced by the Cartan currents $\psi^+_a(t_1^a)$ with $a = m+1, \dots, j-1$ together with the rational factors $n_a \frac{(q-q^{-1})t_1^a/t_1^{a+1}}{1-t_1^a/t_1^{a+1}}$. Then, we have to move all these Cartan currents to the right of all total currents producing the rational factors of the Bethe parameters.

These calculations result to the following exchange relations of the Gauss coordinate

$\mathrm{E}^+_{m+1,j}(t)$ and the product of the currents $\mathcal{F}(\bar t_{[\bar n']_m})\cdot\mathcal{F}(\bar t^1_{[n_1-1]})$

$$
\begin{aligned}
&\mathrm{E}^+_{m+1,j}(t)\mathcal{F}(\bar t_{[\bar n']_m})\cdot\mathcal{F}(\bar t^1_{[n_1-1]})\sim_{J,K}\\
&\quad\sim_{J,K}\ (q-q^{-1})^{j-m-1}\prod_{a=m+1}^{j-1}(n_a)\ \overline{\mathrm{Sym}}_{\,\bar t_{[\bar n]}}\Bigg(\mathcal{F}(\bar t^N_{[n_N]})\cdots\mathcal{F}(\bar t^j_{[n_j]})\ \times\\
&\qquad\times\ \mathcal{F}(\bar t^{j-1}_{[1,n_{j-1}]})\cdots\mathcal{F}(\bar t^{m+1}_{[1,n_{m+1}]})\mathcal{F}(\bar t^m_{[n_m-1]})\cdots\mathcal{F}(\bar t^1_{[n_1-1]})\ \times\\
&\qquad\times\ \frac{t_1^{j-1}/t}{1-t_1^{j-1}/t}\ \mathbb{Y}_m(\bar t_{[\bar n]})\prod_{a=m+1}^{j-1}\psi^+_a(t^a_1)\Bigg),
\end{aligned}
$$

where a rational series $\mathbb{Y}_m(\bar t_{[\bar n]})$ is defined by the relation

$$
\mathbb{Y}_m(\bar t_{[\bar n]})=\prod_{a=m+1}^{j-2}\left(\frac{t^a_1/t^{a+1}_1}{1-t^a_1/t^{a+1}_1}\prod_{k=2}^{n_a}\frac{q-q^{-1}t^a_k/t^{a+1}_1}{1-t^a_k/t^{a+1}_1}\right)\prod_{k=1}^{n_m-1}\frac{q-q^{-1}t^m_k/t^{m+1}_1}{1-t^m_k/t^{m+1}_1}\,. \tag{4.25}
$$

Recall that the notation $\bar t^a_{[1,n_a]}$ means the collection of the variables $\{t^a_2,\dots,t^a_{n_a}\}$.

We get finally the following presentation of the product $\mathcal{T}_{N+1}(t)\cdot\mathcal{W}_{N+1}(\bar t_{[\bar n]})$:

$$
\begin{aligned}
\mathcal{T}_{N+1}(t)\cdot\mathcal{W}_{N+1}(\bar t_{[\bar n]})\ &\approx\ \mathcal{T}'_N(t)\cdot\mathcal{W}'_N(\bar t_{[\bar n']})\cdot\mathcal{F}(\bar t_{[n_1]})+\\
&+\mathcal{W}_{N+1}(\bar t_{[\bar n]})\cdot k^+_1(t)\ \prod_{i=1}^{n_1}\frac{q^{-1}-qt^1_i/t}{1-t^1_i/t}\ \prod_{i=1}^{n_2}\frac{q-q^{-1}t^2_i/t}{1-t^2_i/t}\ +\\
&+\sum_{j=2}^{N+1}(q-q^{-1})^{j-1}\prod_{a=1}^{j-1}(n_a)\ \mathrm{F}^+_{j,1}(t)k^+_j(t)\cdot\mathbb{R}_j\,,
\end{aligned}
\tag{4.26}
$$

where the symbol '$\approx$' means an equality modulo the ideals I, J and K (see definition 4.1). The elements $\mathbb{R}_j$ have the structure

$$
\begin{aligned}
\mathbb{R}_j=\ &\overline{\mathrm{Sym}}_{\,\bar t_{[\bar n]}}\Bigg(\mathcal{F}(\bar t^N_{[n_N]})\cdots\mathcal{F}(\bar t^j_{[n_j]})\mathcal{F}(\bar t^{j-1}_{[1,n_{j-1}]})\cdots\mathcal{F}(\bar t^1_{[1,n_1]})\ \mathbb{Y}_0(\bar t_{[\bar n]})\ \frac{t_1^{j-1}/t}{1-t_1^{j-1}/t}\ \prod_{a=1}^{j-1}\psi^+_a(t^a_1)\ -\\
&-\ \mathcal{F}(\bar t^N_{[n_N]})\cdots\mathcal{F}(\bar t^j_{[n_j]})\mathcal{F}(\bar t^{j-1}_{[n_{j-1}-1]})\cdots\mathcal{F}(\bar t^1_{[n_1-1]})\cdot\mathbb{Z}_{j-1}(\bar t_{[\bar n]})\ \frac{t^1_{n_1}/t}{1-t^1_{n_1}/t}\ -\\
&-\sum_{m=1}^{j-2}\Bigg(\mathcal{F}(\bar t^N_{[n_N]})\cdots\mathcal{F}(\bar t^j_{[n_j]})\mathcal{F}(\bar t^{j-1}_{[1,n_{j-1}]})\cdots\mathcal{F}(\bar t^{m+1}_{[1,n_{m+1}]})\mathcal{F}(\bar t^m_{[n_m-1]})\cdots\mathcal{F}(\bar t^1_{[n_1-1]})\ \times\\
&\qquad\times\ \frac{t^1_{n_1}/t}{1-t^1_{n_1}/t}\ \frac{t_1^{j-1}/t}{1-t_1^{j-1}/t}\ \mathbb{Z}_m(\bar t_{[\bar n]})\ \mathbb{Y}_m(\bar t_{[\bar n]})\prod_{a=m+1}^{j-1}\psi^+_a(t^a_1)\Bigg)\Bigg).
\end{aligned}
\tag{4.27}
$$

The series $\mathbb{Z}_m(\bar t_{[\bar n]})$ is defined by the relation (3.33).

4.3.2 Proof of Theorem 1

The following proposition generalizes Proposition 4.2 and serves as a main statement which is proved by induction over N.

Proposition 4.6. *There is a formal series equality in the algebra* $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$

$$\begin{aligned}
\mathcal{T}_N(t)\cdot\mathcal{W}_N(\bar{t}_{[\bar{n}]}) \approx \mathcal{W}_N(\bar{t}_{[\bar{n}]})\cdot\left(\sum_{a=1}^{N} k_a^+(t)\prod_{k=1}^{n_{a-1}}\frac{q-q^{-1}t_k^{a-1}/t}{1-t_k^{a-1}/t}\prod_{k=1}^{n_a}\frac{q^{-1}-qt_k^a/t}{1-t_k^a/t}\right) + \\
+\overline{\mathrm{Sym}}_{\,\bar{t}_{[\bar{n}]}}\left(\sum_{j=2}^{N}\prod_{a=1}^{j-1}(n_a)\left((q-q^{-1})^{j-1}\ \mathrm{F}^+_{j,1}(t)k_j^+(t)\cdot\mathcal{F}(\bar{t}^{N-1}_{[n_{N-1}]})\cdots\mathcal{F}(\bar{t}^{j}_{[n_j]})\ \times\right.\right. \\
\times\ \mathcal{F}(\bar{t}^{j-1}_{[n_{j-1}-1]})\cdots\mathcal{F}(\bar{t}^{1}_{[n_1-1]})\cdot\mathbb{Z}_{j-1}(\bar{t}_{[\bar{n}]})\ \frac{t^{j-1}_{n_{j-1}}/t}{1-t^{j-1}_{n_{j-1}}/t}\Bigg)\times \\
\left.\left.\times\left(\psi_1^+(t^1_{n_1})\prod_{k=1}^{n_1-1}\frac{q^{-1}-qt^1_k/t^1_{n_1}}{q-q^{-1}t^1_k/t^1_{n_1}}\prod_{k=1}^{n_2}\frac{1-t^2_k/t^1_{n_1}}{q^{-1}-qt^2_k/t^1_{n_1}}-1\right)\right)
\end{aligned} \tag{4.28}$$

if the set $\{t_j^i\}$ *of the Bethe parameters satisfies the set of the universal Bethe equations,* $i=2,\dots,N-1$, $j=1,\dots,n_i$*:*

$$\frac{k_i^+(t_j^i)}{k_{i+1}^+(t_j^i)}=\prod_{m\neq j}^{n_i}\frac{q-q^{-1}t_m^i/t_j^i}{q^{-1}-qt_m^i/t_j^i}\prod_{m=1}^{n_{i-1}}\frac{1-t_m^{i-1}/t_j^i}{q-q^{-1}t_m^{i-1}/t_j^i}\prod_{m=1}^{n_{i+1}}\frac{q^{-1}-qt_m^{i+1}/t_j^i}{1-t_m^{i+1}/t_j^i}\,. \tag{4.29}$$

Proof. We will proof this proposition by induction over N taking as the base of the induction the statement of Proposition 4.2. We assume that the equality (4.28) is valid for the algebra $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$ embedded into $\overline{U}_q(\widehat{\mathfrak{gl}}_{N+1})$ by the relation (4.10) and prove from the relation (4.26) that (4.28) is valid also for the algebra $\overline{U}_q(\widehat{\mathfrak{gl}}_{N+1})$.

First we rewrite the induction assumption (4.28) for the algebra $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$ embedded into $\overline{U}_q(\widehat{\mathfrak{gl}}_{N+1})$ by (4.10). It will takes the form

$$\mathcal{T}'_N(t)\cdot\mathcal{W}'_N(\bar{t}_{[\bar{n}']})\approx\mathcal{W}'_N(\bar{t}_{[\bar{n}']})\cdot\left(\sum_{a=2}^{N+1}k_a^+(t)\prod_{k=1}^{n_{a-1}}\frac{q-q^{-1}t_k^{a-1}/t}{1-t_k^{a-1}/t}\prod_{k=1}^{n_a}\frac{q^{-1}-qt_k^a/t}{1-t_k^a/t}\right)+\mathbb{Q} \tag{4.30}$$

where in 'unwanted' terms

$$\begin{aligned}
\mathbb{Q}=\overline{\mathrm{Sym}}_{\,\bar{t}_{[\bar{n}]}}\left(\sum_{j=3}^{N+1}\left((q-q^{-1})^{j-1}\prod_{a=2}^{j-1}(n_a)\ \mathrm{F}^+_{j,2}(t)k_j^+(t)\cdot\mathcal{F}(\bar{t}^{N}_{[n_N]})\cdots\mathcal{F}(\bar{t}^{j}_{[n_j]})\ \times\right.\right. \\
\times\ \mathcal{F}(\bar{t}^{j-1}_{[n_{j-1}-1]})\cdots\mathcal{F}(\bar{t}^{2}_{[n_2-1]})\cdot\mathbb{Z}_{j-1}(\bar{t}_{[\bar{n}']})\ \frac{t^{j-1}_{n_{j-1}}/t}{1-t^{j-1}_{n_{j-1}}/t}\Bigg)\times \\
\left.\left.\times\left(\psi_2^+(t^2_{n_2})\prod_{k=1}^{n_2-1}\frac{q^{-1}-qt^2_k/t^2_{n_2}}{q-q^{-1}t^2_k/t^2_{n_2}}\prod_{k=1}^{n_3}\frac{1-t^3_k/t^2_{n_2}}{q^{-1}-qt^3_k/t^2_{n_2}}-1\right)\right)
\end{aligned} \tag{4.31}$$

parameters $\bar{t}^a_{\bar{n}_a}$ with $a=3,\dots,N$ satisfy the universal Bethe equations (4.29) for $i=3,\dots,N$ while parameters $\bar{t}^2_{\bar{n}_2}$ are free.

We substitute (4.30) into (4.26). First term in the right hand side of (4.30) together with the second term in (4.26) produces 'wanted' terms

$$\mathcal{W}_{N+1}(\bar{t}_{[\bar{n}]})\cdot\left(\sum_{a=1}^{N+1}k_a^+(t)\prod_{k=1}^{n_{a-1}}\frac{q-q^{-1}t_k^{a-1}/t}{1-t_k^{a-1}/t}\prod_{k=1}^{n_a}\frac{q^{-1}-qt_k^a/t}{1-t_k^a/t}\right).$$

The terms in the right hand side of (4.30) which belongs to the ideal J will be again in the same ideal after multiplication to the right of $\mathcal{T}'_N(t)\cdot\mathcal{W}'_N(\bar t_{[\bar n']})$ by the product of the first type currents $\mathcal{F}(\bar t_{[n_1]})$ (see (4.26)). This is because the currents $E_a(t)$ commute with the current $F_1(t')$ for $a=2,\dots,N$.

Fix parameters $\bar t^2_{\bar n_2}$ from the condition that the ordered product $:\mathbb{Q}\cdot\mathcal{F}(\bar t^1_{[n_1]}):$ of the unwanted terms and the currents of the first type $F_1(t^1_k)$ vanishes. This results into Bethe equations

$$\frac{k_2^+(t^2_k)}{k_3^+(t^2_k)}=\prod_{m\neq k}^{n_2}\frac{q-q^{-1}t^2_m/t^2_k}{q^{-1}-qt^2_m/t^2_k}\prod_{m=1}^{n_1}\frac{1-t^1_m/t^2_k}{q-q^{-1}t^1_m/t^2_k}\prod_{m=1}^{n_3}\frac{q^{-1}-qt^3_m/t^2_k}{1-t^3_m/t^2_k} \tag{4.32}$$

for the set of parameters $\bar t^2_{\bar n_2}$.

Now we will examine the structure of the terms $\mathbb{R}_j$ given by (4.27) by the conditions that parameters $\bar t^a_{\bar n_a}$ with $a=2,\dots,N$ are bounded by the universal Bethe equations (4.29) and (4.32). We replace in $\mathbb{R}_j$ the Cartan currents $\psi^+_a(t^a_1)$, $a=2,\dots,j-1$ by the right hand sides of the universal Bethe equations. Each Bethe equation introduces the factor $\prod_{\ell=2}^{n_a}\frac{qt^a_1-q^{-1}t^a_\ell}{q^{-1}t^a_1-qt^a_\ell}$ under q-symmetrization. This allows to use the following property of the q-symmetrization, which is a consequence of (4.7) and (4.8):

$$\overline{\mathrm{Sym}}_{\,\bar t}\left(G(t_1,t_2,\dots,t_n)\prod_{\ell=2}^{n}\frac{q^{-1}-qt_1/t_\ell}{q-q^{-1}t_1/t_\ell}\right)=\overline{\mathrm{Sym}}_{\,\bar t}\,(G(t_n,t_1,\dots,t_{n-1})) \tag{4.33}$$

for arbitrary formal series G of the formal variables $(t_1,\dots,t_n)$. The variables $\{t^a_1,t^a_2,\dots,t^a_{n_a}\}$ are replaced by the permuted sets $\{t^a_{n_a},t^a_1,\dots,t^a_{n_a-1}\}$ for $a=m+1,\dots,j-1$. Using an identity

$$\begin{aligned}&\frac{1}{t-t^{j-1}_{n_{j-1}}}\prod_{a=1}^{j-2}\frac{1}{t^{a+1}_{n_{a+1}}-t^a_{n_a}}-\frac{1}{t-t^1_{n_1}}\prod_{a=1}^{j-2}\frac{1}{t^{a+1}_{n_{a+1}}-t^a_{n_a}}\\&\quad-\frac{1}{t-t^{j-1}_{n_{j-1}}}\,\frac{1}{t-t^1_{n_1}}\sum_{m=1}^{j-2}\prod_{a=m+1}^{j-2}\frac{1}{t^{a+1}_{n_{a+1}}-t^a_{n_a}}\prod_{a=1}^{m-1}\frac{1}{t^{a+1}_{n_{a+1}}-t^a_{n_a}}=0\,.\end{aligned}$$

and the explicit forms of the series $\mathbb{Z}_m$ and $\mathbb{Y}_m$ we observe that the element $\mathbb{R}_j$ has the structure

$$\begin{aligned}\mathbb{R}_j=\mathcal{F}(\bar t^N_{[n_N]})\cdots\mathcal{F}(\bar t^j_{[n_j]})\cdot\mathcal{F}(\bar t^{j-1}_{[n_{j-1}-1]})\cdots\mathcal{F}(\bar t^1_{[n_1-1]})\cdot\mathbb{Z}_{j-1}(\bar t_{[\bar n]})\,\frac{t^{j-1}_{n_{j-1}}/t}{1-t^{j-1}_{n_{j-1}}/t}\times\\\times\left(\psi^+_1(t^1_{n_1})\prod_{k=1}^{n_1-1}\frac{q^{-1}-qt^1_k/t^1_{n_1}}{q-q^{-1}t^1_k/t^1_{n_1}}\prod_{k=1}^{n_2}\frac{1-t^2_k/t^1_{n_1}}{q^{-1}-qt^2_k/t^1_{n_1}}-1\right)\end{aligned}$$

and this proves the statement of the Proposition. □

The statement of Theorem 1 follows from Proposition 4.6 if we impose one more universal Bethe equation for the set of the parameters $\{\bar t^1_{[n_1]}\}$

$$\frac{k_1^+(t^1_j)}{k_2^+(t^1_j)}=\prod_{m\neq j}^{n_1}\frac{q-q^{-1}t^1_m/t^1_j}{q^{-1}-qt^1_m/t^1_j}\prod_{m=1}^{n_2}\frac{q^{-1}-qt^2_m/t^1_j}{1-t^2_m/t^1_j}\,. \tag{4.34}$$

Since the left hand side and first term in the right hand side of (4.28) belong to the standard Borel subalgebra $U_q(\mathfrak{b}^+)$ in $\overline{U}_q(\widehat{\mathfrak{gl}}_N)$ the equality between them is valid modulo elements of the ideal J only if all the parameters satisfies the universal Bethe equations (4.34) and (4.29). This finishes the proof of Theorem 1. □

Acknowledgement

This work was partially done when the third author (S.P.) visited Laboratoire d'Annecy-Le-Vieux de Physique Théorique in 2006 and 2007. These visits were possible due to the financial support of the CNRS-Russia exchange program on mathematical physics. He thanks LAPTH for the hospitality and stimulating scientific atmosphere. Work by second (S.K) and third (S.P.) authors was supported in part by RFBR grant 08-01-00667 and grant for support of scientific schools NSh-3036.2008.2. Third author (S.P.) was also supported in part by RFBR-CNRS grant 07-02-92166-CNRS.

References

[1] Arnaudon, D., Crampe, N., Doikou, A., Frappat, L., Ragoucy, E. Spectrum and Bethe ansatz equations for the $U_q(gl(\mathcal{N}))$ closed and open spin chains in any representation. *Annales Henri Poincaré* **7** (2006), 1217–1268.

[2] Drinfeld, V. Quantum groups. In "International Congress of Mathematicians (Berkley, 1986)", Amer. Math. Soc., Providence RI, 1987, 798–820.

[3] Drinfeld, V. New realization of Yangians and quantum affine algebras. *Sov. Math. Dokl.* **36** (1988) 212–216.

[4] Ding, J., Frenkel, I.B. Isomorphism of two realizations of quantum affine algebra $U_q(\widehat{\mathfrak{gl}}_N)$. *Commun. Math. Phys.* **156** (1993), 277–300.

[5] Ding, J., Khoroshkin, S. Weyl group extension of quantized current algebras. *Transformation Groups*. **5** (2000), 35–59.

[6] Enriquez, B. On correlation functions of Drinfeld currents and shuffle algebras, *Transformation Groups* **5** (2000), n.2, 111–120.

[7] Enriquez, B., Khoroshkin, S., Pakuliak, S. Weight functions and Drinfeld currents. *Commun. Math. Phys.* **276** (2007), 691-725.

[8] Enriquez, B., Rubtsov, V. Quasi-Hopf algebras associated with $\mathfrak{sl}_2$ and complex curves. *Israel J. Math* **112** (1999) 61–108.

[9] Khoroshkin, S., Pakuliak, S. Weight function for $U_q(\widehat{\mathfrak{sl}}_3)$ *Theor. and Math. Phys.*, **145** (2005), no. 1, 1373–1399.

[10] Khoroshkin, S., Pakuliak, S, Tarasov, V. Off-shell Bethe vectors and Drinfeld currents. *Journal of Geometry and Physics* **57** (2007), 1713–1732.

[11] Khoroshkin, S., Tolstoy, V. On Drinfeld realization of quantum affine algebras. *Journal of Geometry and Physics* **11** (1993), 101–108.

[12] Khoroshkin, S., Pakuliak, S. A computation of an universal weight function for the quantum affine algebra $U_q(\widehat{\mathfrak{gl}}_N)$. *J. Math. Kyoto Univ.* **48**, n.2, 277–322. Preprint `arXiv:0711.2819 [math.QA]`.

[13] Oskin, A., Pakuliak, S., Silantyev, A. On the universal weight function for the quantum affine algebra $U_q(\widehat{\mathfrak{gl}}_N)$. Preprint `arXiv:0711.2821 [math.QA]`.

[14] Kulish, P., Reshetikhin, N. Diagonalization of $GL(N)$ invariant transfer matrices and quantum N-wave system (Lee model) *J.Phys. A: Math. Gen.* **16** (1983), L591–L596.

[15] Reshetikhin, N., Semenov-Tian-Shansky, M. Central extentions of quantum current groups. *Lett. Math. Phys.* **19** (1990), 133–142.

[16] Tarasov, V., Varchenko, A. Jackson integrals for the solutions to Knizhnik-Zamolodchikov equation, *Algebra and Analysis* **2** (1995) no.2, 275–313.

[17] Tarasov, V., Varchenko, A. Geometry of q-hypergeometric functions, quantum affine algebras and elliptic quantum groups, *Astérisque* **246** (1997), 1–135.

[18] Mukhin, E., Tarasov, V., Varchenko, A. Bethe eigenvectors of higher transfer matrices, *J. Stat. Mech. Theory Exp.* **2006**, no.8, P08002, 1–44.

[19] Tarasov, V., Varchenko, A. Combinatorial formulae for nested Bethe vectors, `arXiv:math/0702277 [math.QA]`.

[20] Khoroshkin, S., Pakuliak, S. Generating series for nested Bethe vectors. *SIGMA* **4**, (2008), 081, 23 pages, `arXiv:0810.3131`.